

GIGABYTE B650 AORUS ELITE AX ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 12+2+2 Phases Digital VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2

Brand : GIGABYTE


Product code: B650 AORUS ELITE AX ICE

Product name : B650 AORUS ELITE AX ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 12+2+2 Phases Digital VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2

B650 AORUS ELITE AX ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 12+2+2 Phases Digital VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2

GIGABYTE B650 AORUS ELITE AX ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 12+2+2 Phases Digital VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Line-in	✓
Processor socket *	Socket AM5	Microphone in	✓
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	WiFi-AP antenna jack	2
Maximum number of SMP processors	1	Network	
Supported processor sockets	Socket AM5	Ethernet LAN	✓
Memory		Ethernet interface type	2.5 Gigabit Ethernet
Supported memory types *	DDR5-SDRAM	LAN controller	Realtek RTL8125
Number of memory slots *	4	Wi-Fi *	✓
Memory slots type	DIMM	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
ECC compatibility	Non-ECC	WLAN controller model	Realtek RTL8852CE
Supported memory clock speeds	8000, 7800, 7600, 7200, 7000, 6800, 6666, 6600, 6400, 6200, 6000, 5600, 5200, 4800, 4400 MHz	Bluetooth	✓
Supported memory clock speed (max)	8000 MHz	Bluetooth version	5.3
Maximum internal memory *	256 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	AMD B650
Maximum internal memory per slot	64 GB	Audio chip	Realtek ALC897
Storage controllers		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	Product colour	White
Supported storage drive interfaces *	M.2, SATA III	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Number of HDDs supported	4	Component for *	PC
Number of storage drives supported	7	Motherboard form factor *	ATX
RAID support	✓	Motherboard chipset family *	AMD
RAID levels	0, 1, 10	Cooling type	Passive
Graphics		Power source type	ATX
Parallel processing technology support *	Not supported	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Maximum resolution	4096 x 2160 pixels		
HDCP	✓		
DirectX version	12.0		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 (Gen 3.x) slots	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	PCI Express x16 (Gen 4.x) slots	1
USB 3.2 Gen 2x2 connectors	1	Number of M.2 (M) slots	3
Number of SATA III connectors *	4	1st M.2 largest key size	25110
Front panel audio connector	✓	1st M.2 highest PCI Express generation	5.0
Front panel connector	✓	2nd M.2 largest key size	25110
ATX Power connector (24-pin)	✓	2nd M.2 highest PCI Express generation	4.0
CPU fan connector	✓	3rd M.2 largest key size	25110
Number of CPU fan connectors	2	3rd M.2 highest PCI Express generation	4.0
Number of chassis fan connectors	4	BIOS	
Peripheral (Molex) power connectors (4-pin)	1	BIOS type *	UEFI AMI
EPS power connector (8-pin)	✓	BIOS memory size	256 Mbit
Number of EPS power connectors (8-pin)	1	ACPI version	5.0
TPM connector	✓	Clear CMOS jumper	✓
12V power connector	✓	Desktop Management Interface (DMI) version	2.7
Number of water pump connectors	2	System Management BIOS (SMBIOS) version	2.7
RGB LED pin header	✓	Logistics data	
Number of RGB LED pin headers	4	Country of origin	China
Rear panel I/O ports		Products per shipping (inner) case	1 pc(s)
USB 2.0 ports quantity *	4	Battery	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Battery weight	3 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Number of battery cells	1
Ethernet LAN (RJ-45) ports *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI ports quantity *	1	Battery type	CR2032
HDMI version	2.1	Packaging data	
DisplayPorts quantity	1	Package width	335 mm
DisplayPort version	1.4	Package depth	270 mm
Headphone outputs	1	Package height	80 mm
		Package weight	2.33 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331859374



0889523040362



889523040362

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.