



ICY BOX IB-DK4012-CPD Vadu USB 3.2 Gen 1 (3.1 Gen 1) Type-C Antracīts, Melsns

Zīmols : ICY BOX

Preces kods: 61058

Modeļa nosaukums : IB-DK4012-CPD

ICY BOX IB-DK4012-CPD. Savienojamības tehnoloģija: Vadu, Saimnieka interfeiss: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB barošana līdz: 100 W. Ethernet LAN datu pārsūtīšanas ātrums: 1000 Mbit/s, Vara Ethernet kabeļu tehnoloģija: 10BASE-T, 100BASE-T, 1000BASE-T. Produkta krāsa: Antracīts, Melsns, Saderīgās atmiņas kartes: MicroSD (TransFlash), SD, Datu pārsūtīšanas ātrums: 10 Gbit/s. USB kabeļa garums: 0,15 m. Citas atbalstītās operētājsistēmas: ChromeOS



Savienojamība		Darbības rādītāji	
Savienojamības tehnoloģija *	Vadu	Produkta krāsa *	Antracīts, Melsns
Saimnieka interfeiss *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Atbalsta UASP	✓
USB 2.0 pieslēgvietu skaits *	1	Apvalka materiāls	Akrilonitrilbutadiēnstirēnterpolimēra (ABS), Alumīnijs
USB 3.2 Gen 1 (3.1 Gen 1) A tipa pieslēgvietu skaits *	2	Izcelsmes valsts	Ķīna
USB 3.2 Gen 1 (3.1 Gen 1) C tipa pieslēgvietu skaits	1	Enerģijas pārvaldība	
USB barošanas padeve	✓	USB kabeļa garums	0,15 m
USB barošanas versija	3.0	Programmatūra	
USB barošana līdz	100 W	Atbalstītās Windows operētājsistēmas	✓
HDMI pieslēgvietu skaits *	2	Mac operētājsistēmas atbalstītas	✓
HDMI versija	1.4/2.0	Citas atbalstītās operētājsistēmas	ChromeOS
DisplayPorts daudzums	1	Svars&dimensijas	
DisplayPort versija	1.4	Platums	48 mm
Mikrofons, līnijas izeja *	✗	Dziļums	115 mm
Tīklošana		Augstums	17 mm
Ethernet/LAN savienojums *	✓	Svars	94 g
Ethernet LAN (RJ-45) pieslēgvietu skaits	1	Informācija par iepakojumu	
Ethernet LAN datu pārsūtīšanas ātrums	1000 Mbit/s	Skaits iepakojumā	1 pcs
Vara Ethernet kabeļu tehnoloģija	10BASE-T, 100BASE-T, 1000BASE-T	Iepakojuma platums	25 mm
Darbības rādītāji		Iepakojuma dziļums	100 mm
Integrēts karšu lasītājs *	✓	Iepakojuma augstums	200 mm
Saderīgās atmiņas kartes	MicroSD (TransFlash), SD	Iepakojuma svars	157 g
Datu pārsūtīšanas ātrums	10 Gbit/s	Iepakojuma saturs	
HD veids	4K Ultra HD	Manuāls	✓
Maksimālā digitālā izšķirtspēja	3840 x 2160 pikseli	Loģistiskie dati	
Atbalstītais ekrānu skaits	2	Daudzums Master kastē	60 pcs
Maksimālais atjauninājuma ātrums	60 Hz		

Logistiskie dati

Orīnālās kastes platums	445 mm
Kastes garums (Master)	340 mm
Orīnālās kastes augstums	280 mm
Kastes svars (Master)	10,1 kg
Harmonizētās sistēmas (HS) kods	84718000



4250078173908

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.