



## BenQ TK710STi Short throw projector 3200 ANSI lumens DLP UHD 4K (3840x2160) 3D Black, White

**Brand :** BenQ

**Product code:** 9H.JSK77.17E

**Product name :** TK710STi



- 4K HDR 3200lm Laser Short Throw Casual Gaming Projector with 4.16 ms Low Input Lag
- True 4K UHD with Laser-enhanced 3200lm high brightness and contrast
- 16ms (4K@60Hz) low input lag paired with 4K resolution
- With 95% Rec.709 and HDR Compatibility

TK710STi

BenQ TK710STi. Projector brightness: 3200 ANSI lumens, Projection technology: DLP, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 20000 h. Focal length range: 10.2 - 12.24 mm, Aperture range (F-F): 2.53 - 2.73, Zoom ratio: 1.2:1. Supported graphics resolutions: 640 x 480 (VGA), 3840 x 2160, Supported video modes: 1080p. Serial interface type: RS-232, HDMI version: 2.0b



| Projector                                    |                              | Network                             |                                                       |
|----------------------------------------------|------------------------------|-------------------------------------|-------------------------------------------------------|
| Projector brightness *                       | 3200 ANSI lumens             | Ethernet LAN *                      | ✗                                                     |
| Projection technology *                      | DLP                          | <b>Storage</b>                      |                                                       |
| Projector native resolution *                | UHD 4K (3840x2160)           | Card reader integrated *            | ✗                                                     |
| Contrast ratio (typical) *                   | 10000:1                      | <b>Features</b>                     |                                                       |
| Native aspect ratio *                        | 16:9                         | Interactive *                       | ✗                                                     |
| Number of colours                            | 1.07 billion colours         | Noise level (economic mode)         | 28 dB                                                 |
| Keystone correction, horizontal              | -30 - 30°                    | HDCP                                | ✓                                                     |
| Keystone correction, vertical                | -30 - 30°                    | Noise level *                       | 31 dB                                                 |
| Light source                                 |                              | High Dynamic Range (HDR) supported  | ✓                                                     |
| Light source type *                          | Laser                        | High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) |
| Service life of light source *               | 20000 h                      | <b>Multimedia</b>                   |                                                       |
| Service life of light source (economic mode) | 20000 h                      | Built-in speaker(s) *               | ✓                                                     |
| Lens system                                  |                              | RMS rated power                     | 5 W                                                   |
| Focal length range                           | 10.2 - 12.24 mm              | Number of built-in speakers         | 1                                                     |
| Aperture range (F-F)                         | 2.53 - 2.73                  | <b>Design</b>                       |                                                       |
| Zoom capability                              | ✓                            | Market positioning *                | Gaming                                                |
| Zoom ratio                                   | 1.2:1                        | Product type *                      | Short throw projector                                 |
| Throw ratio                                  | 0.69 - 0.83                  | Product colour *                    | Black, White                                          |
| Offset                                       | 102.5%                       | Placement                           | Desktop                                               |
| Video                                        |                              | <b>Power</b>                        |                                                       |
| Full HD *                                    | ✓                            | Power source *                      | AC                                                    |
| 3D *                                         | ✓                            | Power consumption (typical) *       | 275 W                                                 |
| Supported graphics resolutions               | 640 x 480 (VGA), 3840 x 2160 | Power consumption (standby) *       | 0.5 W                                                 |
| Supported video modes                        | 1080p                        | AC input voltage                    | 100 - 240 V                                           |
| Ports & interfaces                           |                              |                                     |                                                       |
| HDMI version                                 | 2.0b                         |                                     |                                                       |

| Ports & interfaces                   |        | Power                       |            |
|--------------------------------------|--------|-----------------------------|------------|
| USB 2.0 ports quantity               | 1      | AC input frequency          | 50 - 60 Hz |
| Headphone outputs                    | 1      | Operational conditions      |            |
| Serial interface type *              | RS-232 | Operating temperature (T-T) | 0 - 40 °C  |
| HDMI ports quantity *                | 2      | Weight & dimensions         |            |
| DVI port *                           | ✗      | Width                       | 304.2 mm   |
| AC (power) in                        | ✓      | Depth                       | 232.5 mm   |
| Audio Return Channel (ARC)           | ✓      | Height                      | 112.4 mm   |
| Enhanced Audio Return Channel (eARC) | ✓      | Weight *                    | 3.1 kg     |
| Network                              |        | Packaging content           |            |
| Smart TV *                           | ✗      | Remote control included *   | ✓          |
|                                      |        | Remote control type         | IR         |
|                                      |        | Batteries included          | ✓          |
|                                      |        | Cables included             | AC         |
|                                      |        | Logistics data              |            |
|                                      |        | Harmonized System (HS) code | 85286200   |



4718755093555



0840046050047



840046050047

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.