

iiyama ProLite XUB2492QSU-B1 computer monitor 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LED Black

Brand : iiyama

Product family: ProLite

Product code: XUB2492QSU-B1

Product name : XUB2492QSU-B1

- 60.5cm (23.8") Wide Quad HD 2560 x 1440 IPS

- 1ms, 16:9, 300cd/m², 1000:1

- USB, HDMI, DisplayPort

24" QHD IPS technology panel with USB hub, 100Hz refresh rate and height adjustable stand

iiyama ProLite XUB2492QSU-B1 computer monitor 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LED Black:

Stylish edge-to-edge design makes the ProLite XUB2492QSU offering QHD (2560x1440) resolution is perfect for multi-monitor set-ups. The IPS panel technology offers accurate and consistent colour reproduction with wide viewing angles. The 100Hz refresh rate together with FreeSync function provides an instant, tangible improvement in image smoothness. High contrast and brightness values mean the monitor will provide excellent performance for photographic and web design. Equipped with speakers, USB 3.2 hub, headphone socket, HDMI and DisplayPort connections, a blue light reducer function to reduce eye fatigue and an ergonomic 150mm height adjustable stand for optimal user comfort, make this 24" monitor a great choice for both multi-monitor configuration and office applications.



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Cable management	✓
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Adjustable height (max)	15 cm
Panel type *	IPS	Pivot	✓
Touchscreen *	✗	Pivot angle	0 - 90°
Display brightness (typical)	350 cd/m²	Swivelling	✓
Response time *	1 ms	Swivel angle range	-60 - 60°
Response time (MPRT)	0.5 ms	Tilt adjustment	✓
Display surface	Matt	Tilt angle range	5 - 23°
Screen shape *	Flat	On Screen Display (OSD) languages	Czech, German, English, French, Italian, Japanese, Dutch, Polish, Russian
Contrast ratio (typical) *	1300:1		
Contrast ratio (dynamic)	80000000:1	Power	
Maximum refresh rate *	100 Hz	Energy efficiency class (SDR) *	F
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	Not available
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	20 kWh
Display number of colours *	16.7 million colours	Power consumption (typical) *	21 W
Pixel pitch	0.206 x 0.206 mm	Power consumption (standby) *	0.5 W
Horizontal scan range	30 - 155 kHz	Power consumption (off)	0.3 W
Viewable size, horizontal	52.7 cm	AC input voltage	100 - 240 V
Viewable size, vertical	29.6 cm	AC input frequency	50/60 Hz
Display diagonal (metric)	60.5 cm	Power supply type	Internal
DDC/CI	✓	Energy efficiency scale	A to G
sRGB coverage (typical)	99%	Weight & dimensions	
NTSC coverage (typical)	72%	Width (with stand)	540 mm
Performance		Depth (with stand)	209.5 mm
NVIDIA G-SYNC *	✗		
AMD FreeSync *	✓		

Performance		Weight & dimensions	
Flicker-free technology	✓	Height (with stand)	508 mm
Low Blue Light technology	✓	Weight (with stand)	5.9 kg
		Height (without stand)	358 mm
Multimedia		Packaging data	
Number of speakers	2	Package width	564 mm
RMS rated power	4 W	Package depth	386 mm
Built-in speaker(s) *	✓	Package height	120 mm
Built-in camera *	✗	Package weight	7.4 kg
Design		Packaging content	
Product colour *	Black	Stand included	✓
Frameless design	✓	Cables included	AC, USB, HDMI, DisplayPort
Feet colour	Black	Manual	✓
Ports & interfaces		Sustainability	
Built-in USB hub *	✓	Sustainability certificates	ErP
USB hub version	3.2 Gen 1 (3.1 Gen 1)		
Number of downstream ports	3		
USB Type-C downstream ports quantity	1		
HDMI *	✓		
HDMI ports quantity	1	User controls	colour settings (gamma, RGB range, colour temp.), image settings (video mode adjust, blue light reducer, sharp&soft, MBR, adaptive sync), OSD (OSD H. position, OSD V. position, OSD time, OSD background, OSD rotate, language, display), extra (reset, DDC/CI, signal select, LED, opening logo, USB BC, UP date for system)
DisplayPorts quantity	1		
Headphone out *	✓		
HDCP	✓		
Ergonomics		Packaging content	quick start guide, safety guide
VESA mounting *	✓	Weight	5.9 kg
Panel mounting interface	100 x 100 mm	Width	540 mm
		Depth	209.5 mm
		Control panel	Power, Menu, Up / Volume, Down / Eco, Input / Exit
		Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
		Technical details	
		Native refresh rate	100 Hz



4948570123179

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.