

Verbatim USB-C Essentials Multiport Hub 4 ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A

Brand : Verbatim

Product code: 32155

Product name : USB-C Essentials Multiport Hub 4 ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A

USB-C Essentials Multiport Hub 4 ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A

Verbatim USB-C Essentials Multiport Hub 4 ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A:

Simplify Connections

Easily expand your connectivity with four essential ports, including HDMI, USB-C® PD 3.0, USB-A 3.2 Gen 1, and USB-A 2.0. This hub is designed to connect your laptop to external displays, USB drives, and other peripherals, making it a versatile addition to your workspace.

High-Speed Data Transfer

With USB 3.2 Gen 1, enjoy data transfer speeds up to 5Gb/s. This enables quick sharing of files and efficient syncing of devices. The additional USB-A 2.0 port offers compatibility with older devices at speeds up to 480Mbps.

Impressive Display Output

Connect to an external display with the HDMI port, which supports 4K resolution at 30Hz. This allows for an enhanced viewing experience, perfect for presentations, video conferencing, or streaming content.



Ports & interfaces		Weight & dimensions	
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Width	29.7 mm
Hub interfaces *	HDMI, USB 2.0 Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Depth	96.7 mm
USB 2.0 ports quantity	1	Height	11 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Weight	51 g
HDMI ports quantity	1	Packaging data	
Ports quantity *	4	Quantity per pack	1 pc(s)
Features		Package width	85 mm
Data transfer rate *	5000 Mbit/s	Package depth	155 mm
Supported graphics resolutions	3840 x 2160	Package height	20 mm
Maximum resolution (HDMI)	3840 x 2160 pixels	Package weight	100 g
Product colour	Grey	Package type	Box
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium	Packaging content	
USB Power Delivery (USB PD)	✓	Quick start guide	✓
USB Power Delivery revision	3.0	Operational conditions	
USB Power Delivery up to	100 W	Minimum operating temperature	0 °C
HD type	4K Ultra HD	Maximum operating temperature	40 °C
Number of displays supported	1	Operating temperature (T-T)	0 - 40 °C
Cable type	Round cable	Storage temperature (T-T)	-20 - 85 °C
Cable length	0.15 m	Operating relative humidity (H-H)	20 - 90%
Plug and Play	✓	Logistics data	
Country of origin	China	Pallet gross width	100 cm
Power		Pallet gross length	120 cm
Power supply type	USB	Pallet gross height	120 cm
Input voltage	5 - 20 V	Pallet gross weight	255 kg
Output voltage	5 V	Master (outer) case width	256 mm
Output current	0.9 A	Master (outer) case length	345 mm
		Master (outer) case height	236 mm
		Master (outer) case gross weight	5.3 kg

System requirements		Technical details	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8	Pallet net height	12 cm
		Pallet net length	120 cm
	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma	Pallet net width	100 cm
		Pallet net weight	12 kg
Mac operating systems supported		Compliance certificates	CE, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), Low Voltage Directive (LVD), REACH, RoHS, UKCA
Linux operating systems supported	✓		
Other operating systems supported	Android		



0023942321552



023942321552

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.