



iiyama ProLite XCB3497WQSNP-B1 computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED Black

Brand : iiyama

Product family: ProLite

Product code:
XCB3497WQSNP-B1

Product name :
XCB3497WQSNP-B1

34'' UWQHD curved monitor with USB-C dock, LAN, KVM switch and 15cm height adjustable stand

iiyama ProLite XCB3497WQSNP-B1 computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED Black:

The XCB3497WQSNP is a 34-inch curved monitor that incorporates a KVM switch and a USB-C dock to simplify your workspace. The KVM switch enhances multitasking by allowing you to control multiple computers from a single monitor, keyboard, and mouse. The USB-C dock reduces cable clutter and simplifies connectivity even further, allowing a single cable to carry video, data, and power to charge your notebook. Additionally, when the monitor is connected to a LAN network, your notebook automatically gains network access. The VA panel technology delivers high contrast and deep black levels and wide viewing angles for consistent image quality regardless of your position for a richer and more vivid viewing experience. For optimal comfort, the 15cm height-adjustable stand allows you to customize the screen position, while the Flicker-Free panel and Blue Light reduction function help minimize eye strain.



Display		Network	
Display diagonal *	86.4 cm (34")	Ethernet LAN	✓
Display resolution *	3440 x 1440 pixels	Ergonomics	
HD type *	UltraWide Quad HD	VESA mounting *	✓
Native aspect ratio *	21:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Wall mountable	✓
Panel type *	VA	Cable management	✓
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	350 cd/m²	Cable lock slot type	Kensington
Response time (MPRT)	0.4 ms	Height adjustment *	✓
Display surface	Matt	Adjustable height (max)	15 cm
Screen shape *	Curved	Swivelling	✓
Screen curvature rating	1500R	Swivel angle range	-45 - 45°
Contrast ratio (typical) *	3000:1	Tilt adjustment	✓
Contrast ratio (dynamic)	80000000:1	Tilt angle range	5 - 23°
Maximum refresh rate *	120 Hz	On Screen Display (OSD)	✓
Viewing angle, horizontal	178°	On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian
Viewing angle, vertical	178°	Power	
Display number of colours *	16.7 million colours	Energy efficiency class (SDR) *	F
Pixel pitch	0.232 x 0.232 mm	Energy efficiency class (HDR) *	Not available
Horizontal scan range	30 - 180 kHz	Energy consumption (SDR) per 1000 hours *	31.7 kWh
Viewable size, horizontal	79.7 cm	Power consumption (typical) *	32 W
Viewable size, vertical	33.4 cm	Power consumption (standby) *	32 W
Display diagonal (metric)	86.7 cm	Power consumption (off)	0.3 W
Colour gamut standard	NTSC, sRGB	AC input voltage	100 - 240 V
sRGB coverage (typical)	99%	AC input frequency	50/60 Hz
NTSC coverage (typical)	93%	Power supply type	Internal
Performance		Energy efficiency scale	A to G
AMD FreeSync *	✓	Weight & dimensions	
AMD FreeSync type	FreeSync Premium	Width (with stand)	807 mm
VESA Adaptive Sync support	✓		
Flicker-free technology	✓		
Low Blue Light technology	✓		

Multimedia		Weight & dimensions	
Number of speakers	2	Depth (with stand)	245.5 mm
RMS rated power	10 W	Height (with stand)	576 mm
Built-in speaker(s) *	✓	Weight (with stand)	9.7 kg
Design		Width (without stand)	807 mm
Product colour *	Black	Depth (without stand)	110 mm
Ports & interfaces		Height (without stand)	426 mm
Built-in USB hub *	✓	Packaging data	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package width	928 mm
USB upstream port type	USB Type-C	Package depth	186 mm
Number of downstream ports	4	Package height	480 mm
Number of USB Type-C upstream ports quantity	1	Package weight	14.1 kg
USB Type-A downstream ports quantity	2	Package type	Box
USB Type-C DisplayPort Alternate Mode	✓	Packaging content	
USB Power Delivery (USB PD)	✓	Cables included	AC, USB, HDMI, DisplayPort, USB Type-C
USB Power Delivery up to	95 W	Sustainability	
HDMI *	✓	Sustainability certificates	ErP, TCO
HDMI ports quantity	2	Other features	
HDMI version	1.4/2.0	Packaging content	quick start guide, safety guide
DisplayPorts quantity	1	User controls	picture adjust (brightness, contrast, Eco, ACR, OD, AdaptiveSync, motion blur reduction, X-Res technology, black tuner), colour settings (6-axis, i-Style colour, blue light reducer, gamma, RGB range, colour temp..), OSD (OSD H. position, OSD V. position, OSD time, OSD background, DDC/CI control, display information), language, miscellaneous (sharpness, video mode adjust, opening logo, power LED, Mac address, USB charge, USB C speed), KVM (HDMI1, HDMI2, DisplayPort, USB C), input select, audio settings (volume, mute audio), recall
DisplayPort out version	1.4		
Headphone out *	✓		
Built-in KVM switch	✓		
HDCP	✓	Weight	9.7 kg
		Width	807 mm
		Depth	245.5 mm
		Control panel	Joystick: Power/Menu (Centre), Forward/Signal Select, Backward, Left/i-Style colour/ECO/BlueLight Reducer, Right/Volume
		Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
		Ethernet LAN (RJ-45) ports	1
Technical details			
		Native refresh rate	60 Hz



4948570125142

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.