

Ricoh PJ UHL3660 Ultra īsa fokusa projektorš 6500 ANSI lūmeni DLP UHD 4K (3840x2160) Balts

Zīmols : Ricoh

Preces kods: 432685

Modeļa nosaukums : PJ UHL3660

Ricoh PJ UHL3660. Projektora spilgtums: 6500 ANSI lūmeni, Projicēšanas tehnoloģija: DLP, Projektora izšķirtspēja: UHD 4K (3840x2160). Gaismas avota tips: Lāzers, Gaismas avota kalpošanas laiks: 40000 h. Fokuss: Motora. Seriālā interfeisa tips: RS-232C, HDMI savienotāja veids: Pilna izmēra. Trokšņu līmenis: 36 dB, Trokšņa līmenis (ekonomiskā režīmā): 32 dB, International Protection (IP) code: IP5X



Projektors		Tiklošana	
Viedais projektorš *	×	Viedtelevizors *	×
Ekrāna izmēra saderība *	2159 - 4064 mm (85 - 160")	Ethernet/LAN savienojums *	✓
Objektīva projicēšanas distance	0,01 - 0,38 m	Ethernet LAN (RJ-45) pieslēgvietu skaits	1
Projektora spilgtums *	6500 ANSI lūmeni	Datu uzglabāšanas līdzekļi	
Projicēšanas tehnoloģija *	DLP	Integrēts karšu lasītājs *	×
Projektora izšķirtspēja *	UHD 4K (3840x2160)	Īpašības	
Kontrasta attiecība (tipiskā) *	5000000:1	Trokšņa līmenis (ekonomiskā režīmā)	32 dB
Krāsu skaits	1,073 miljardi krāsu	HDCP	✓
Trapeces korekcija, horizontāli	-15 - 15°	Trokšņu līmenis *	36 dB
Trapeces korekcija, vertikāli	-20 - 5°	International Protection (IP) code	IP5X
Matricas izmērs	1,65 cm (0.65")	Multimediji	
Gaismas avots		Iebūvēti skaļruņi *	✓
Gaismas avota tips *	Lāzers	RMS nominālā jauda	11 W
Gaismas avota kalpošanas laiks *	40000 h	Iebūvēto skaļruņu skaits	3
Objektīva sistēma		Dizains	
Fokuss *	Motora	Produkta veids *	Ultra īsa fokusa projektorš
Sviediena attiecība	0.241	Produkta krāsa *	Balts
Video		Displejs	
Analogo signālu komutācijas sistēma *	Netiek atbalstīts	Iebūvēta displeja *	×
Pilns HD *	✓	Enerģijas pārvaldība	
3D saderība *	×	Jaudas avots *	AC
Savienojamība		Enerģija patēriņš *	460 W
HDMI savienotāja veids	Pilna izmēra	Jaudas patēriņš (standby) *	0,5 W
HDMI versija	2.0	Jaudas patēriņš (ekonomiskajā režīmā)	225 W
HDBaseT pieslēgvietas	✓	Mainstrāvas ievades spriegums	100 - 240 V
USB 2.0 pieslēgvietu skaits	2	Ārējās vides apstākļi	
Austiņu izejas	1	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Seriālā interfeisa tips *	RS-232C	Darbības relatīvā mitruma amplitūda	20 - 85%
VGA (D-Sub) pieslēgvietu skaits *	1		
HDMI pieslēgvietu skaits *	3		
DVI pieslēgvietā *	×		

Svars&dimensijas	
Platums	530 mm
Dziļums	470 mm
Augstums	139 mm
Svars *	11,9 kg



4961311984785

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.