



AOC AGON PRO CS24A computer monitor 61.2 cm (24.1") 1920 x 1080 pixels Full HD LED Black

Brand : AOC

Product family: AGON PRO

Product code: CS24A

Product name : CS24A

Screen size (inch) 24.1, Panel resolution 1920x1080, Max Refresh rate 610Hz (OC, 600Hz native), Response time MPRT 0.3 ms, Panel type Ultra-Fast TN eSports, HDMI HDMI 2.1 x 2, DisplayPort DisplayPort 1.4 x 1, Sync technology (VRR) Adaptive Sync
AOC AGON PRO CS24A. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 0.5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 176°, Viewing angle, vertical: 170°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	61.2 cm (24.1")	Headphone out *	✓
Display resolution *	1920 x 1080 pixels	Headphone outputs	1
HD type *	Full HD	HDCP	✓
Native aspect ratio *	16:9	HDCP version	2.3
Display technology *	LED	Ergonomics	
LED backlight	✓	VESA mounting *	✓
Backlight type	W-LED	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable management	✓
Display brightness (typical)	500 cd/m²	Cable lock slot *	✓
Response time *	0.5 ms	Cable lock slot type	Kensington
Response time measurement type	GTG (Gray to Gray)	Height adjustment *	✓
Response time (MPRT)	0.3 ms	Adjustable height (max)	15 cm
Anti-glare screen	✓	Pivot	✓
Screen shape *	Flat	Pivot angle	-90 - 90°
Contrast ratio (typical) *	1000:1	Swivelling	✓
Contrast ratio (dynamic)	80000000:1	Swivel angle range	28 - 28°
Maximum refresh rate *	610 Hz	Tilt adjustment	✓
Viewing angle, horizontal	176°	Tilt angle range	-5 - 23°
Viewing angle, vertical	170°	Picture-in-Picture	✓
Display number of colours *	16.7 million colours	On Screen Display (OSD)	✓
Pixel density	91.41 ppi	Power	
Digital horizontal frequency	30 - 510 kHz	Energy efficiency class (SDR) *	E
Digital vertical frequency	60 - 610 Hz	Energy efficiency class (HDR) *	G
Display diagonal (metric)	61.21 cm	Energy consumption (SDR) per 1000 hours *	18 kWh
High Dynamic Range (HDR) supported	✓	Energy consumption (HDR) per 1000 hours *	40 kWh
High Dynamic Range (HDR) technology	DisplayHDR 400		
Haze rate	25%		

Display		Power	
Colour gamut standard	Adobe RGB, DCI-P3, sRGB	Power consumption (typical) *	30 W
sRGB coverage (typical)	125.1%	Power consumption (standby) *	0.5 W
Adobe RGB coverage	89.4%	Power consumption (off)	0.3 W
DCI-P3 coverage	93.6%	Power supply type	Internal
Performance		Energy efficiency scale	A to G
NVIDIA G-SYNC *	✓	Weight & dimensions	
NVIDIA G-SYNC type	G-SYNC Compatible	Width (with stand)	557 mm
AMD FreeSync *	✓	Depth (with stand)	240 mm
AMD FreeSync type	FreeSync Premium	Height (with stand)	489.8 mm
AMD FreeSync refresh rate range	60 - 610 Hz	Weight (with stand)	5.03 kg
VESA Adaptive Sync support	✓	Width (without stand)	557 mm
Flicker-free technology	✓	Depth (without stand)	73 mm
Low Blue Light technology	✓	Height (without stand)	331.4 mm
		Weight (without stand)	3.75 kg
Design		Packaging data	
Market positioning *	Gaming	Package width	650 mm
Product colour *	Black	Package depth	188 mm
Frameless design	✓	Package height	420 mm
Front bezel colour	Orange	Package weight	8.45 kg
Detachable stand	✓	Packaging content	
Illuminated stand	✓	Cables included	AC, HDMI, DisplayPort, USB
Illuminated stand colour	RGB	DisplayPort cable length	1.8 m
Feet colour	Orange	HDMI cable length	1.8 m
Ports & interfaces		Other features	
Built-in USB hub *	✓	Brand specific technologies	Crosshair
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Low input lag	✓
Number of USB Type-B upstream ports quantity	1	FPS counter	✓
USB Type-A downstream ports quantity	4	Dial point	✓
HDMI *	✓	Shadow control	✓
HDMI ports quantity	2	Motion blur reduction	✓
HDMI version	2.1	Bezel thickness type	Frameless
DisplayPorts quantity	1	Warranty period	3 year(s)
DisplayPort version	1.4	Compliance certificates	CE
Audio output	✓	Certification	WEEE,REACH compliant,RoHs compliant,CB,TUV-Bauart-Mark,ISO 9241-307,EAC,FCC
Technical details			
		Native refresh rate	60 Hz



4038986143356

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.