

TP-Link AC750 bezvadu rūteris Ātrais Ethernet Divkārsā frekvenču josla (2.4 GHz / 5 GHz) Melns, Balts

Zīmols : TP-Link

Preces kods: ARCHER C20

Modeļa nosaukums : AC750

TP-Link AC750. WAN savienojuma veids: RJ-45. Wi-Fi josla: Divkārsā frekvenču josla (2.4 GHz / 5 GHz), Wi-Fi standarts: Wi-Fi 5 (802.11ac), WLAN datu pārraides ātrums (maks.): 433 Mbit/s. Ethernet LAN saskarnes tips: Ātrais Ethernet, Ethernet LAN datu pārsūtīšanas ātrums: 10,100 Mbit/s, Kabeļa likšanas tehnoloģija: 10/100Base-T(X). Drošības algoritma atbalsts: WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, Ugusmūra drošība: SPI. Atbalstāmie tīkla protokoli: IPv4, IPv6



WAN savienojums		Protokoli	
Ethernet WAN *	✓	Universal Plug and Play (UPnP)	✓
DSL WAN *	✗	Atbalstāmie tīkla protokoli	IPv4, IPv6
SIM kartes slots *	✗	Dizains	
3G/4G USB modema saderība *	✗	Produkta krāsa	Melns, Balts
WAN savienojuma veids	RJ-45	LED indikatori	✓
Bezvadu LAN īpašības		Integrēts on/off slēdzis	✓
Wi-Fi josla *	Divkārsā frekvenču josla (2.4 GHz / 5 GHz)	Produkta veids *	Galda rūteris
Wi-Fi standarts *	Wi-Fi 5 (802.11ac)	Sertifikāti	
WLAN datu pārraides ātrums (maks.) *	433 Mbit/s	Atbilstības sertifikāti	RoHS, Federālā komunikāciju komisija, CE
Wi-Fi standartu	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Iepakojuma saturs	
WLAN datu pārraides ātrums (pirmā josla)	300 Mbit/s	Pievienoti kabeli	LAN (RJ-45)
WLAN datu pārraides ātrums (otrā josla)	433 Mbit/s	AC adapteris komplektā	✓
Tīklošana		Ātrās instalācijas gids	✓
Ethernet/LAN savienojums *	✓	Ilgtspēja	
Ethernet LAN saskarnes tips *	Ātrais Ethernet	Ilgtspējas atbilstība	✓
Ethernet LAN datu pārsūtīšanas ātrums	10,100 Mbit/s	Antena	
Kabeļa likšanas tehnoloģija	10/100Base-T(X)	Antenas forma *	Ārējs
Tīkla standarts	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antenu daudzums	3
Dinamiskais DNS (DDNS)	✓	Pārraides jauda	23 decibeli uz milivatu
Viesu tīklu skaits (2,4 GHz)	1	Īpašības	
Viesu tīklu skaits (5 GHz)	1	Iebūvētais procesors	✓
VPN Passthrough	✓	Multikodola tips	1
VPN atbalsts	PPTP, L2TP, IPSec	Energijas pārvaldība	
Savienojamība		Barošanas avota veids *	Līdzstrāvas
Ethernet LAN (RJ-45) pieslēgvietu skaits *	4	Izejas spriegums	9 V
		Izejas strāva	0,6 A
		Ārējās vides apstākļi	
		Darbības temperatūras amplitūda (T-T)	0 - 40 °C

Savienojamība		Ārējās vides apstākļi	
USB pieslēgvietā *	✗	Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
DC ieejas ligzda	✓	Darbības relatīvā mitruma amplitūda	10 - 90%
Vadības īpašības		Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%
Tīkla bāzēts menedžments	✓	Sistēmas prasības	
Quality of Service (QoS) atbalsts	✓		Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Atiestates poga	✓		
WPS poga	✓		
Drošība			
Drošības algoritma atbalstīts	WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise		
Firewall	✓		
Ugusmūra drošība	SPI		
Piekļuve kā viesim	✓		
Pieslēgvietā bāzēta tīkla piekļuves vadība (PNAC)	✓		
Pakešu stāvokļa pārbaude (SPI)	✓		
DoS uzbrukumu novēršana	✓	Atbalstītās Windows operētājsistēmas	
Filtrēšana	✓		
MAC adreses filtrēšana	✓		
IP adreses filtrēšana	✓		
DMZ atbalsts	✓		
		Linux operētājsistēma atbalstīta	✓
		Mac operētājsistēmas atbalstītas	✓
Svars&dimensijas			
		Platums	230 mm
		Dziļums	144 mm
		Augstums	35 mm
Informācija par iepakojumu			
		Iepakojuma platums	357 mm
		Iepakojuma dziļums	223 mm
		Iepakojuma augstums	68 mm
		Iepakojuma svars	670 g
		Iekļauto produktu skaits	1 pcs
Papildus informācija			
		WLAN atbalstāmie datu pārraides ātrumi	300,433 Mbit/s



6935364091606



0845973080730



845973080730



6935364080884



6935364080730



1210002615839

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.