

Tefal Ultimate Pure FV9852E0 gludeklis Sausais un tvaika gludeklis Durilium AirGlide Autoclean soleplate 3200 W Melns, Vara krāsa

Zīmols : Tefal

Preču ģimene: Ultimate Pure

Preces kods: FV9852E0

Modeļa nosaukums :
FV9852E0



Tefal Ultimate Pure FV9852E0. Tips: Sausais un tvaika gludeklis, Pazoļu plākšņu veids: Durilium AirGlide Autoclean soleplate, Auklas garums: 2,5 m. Dzelzs: 3200 W, Maiņstrāvas ievades spriegums: 220 - 240 V, Maiņstrāvas ievades frekvence: 50 - 60 Hz. Platums: 152 mm, Dziļums: 317 mm, Augstums: 155 mm. Iepakojuma platums: 327 mm, Iepakojuma dziļums: 168 mm, Iepakojuma augstums: 197 mm. Daudzums uz paletes: 72 pcs, Daudzums kārtā: 24 pcs, Skaitis iepakojumā: 1 pcs



Īpašības		Īpašības	
Tips *	Sausais un tvaika gludeklis	Kontroles tips	Pogas, Rotējošs
Pazoļu plākšņu veids *	Durilium AirGlide Autoclean soleplate	Izgaismojošie elementi	
Automātiskā izslēgšanās *	✓	Redzams ūdens līmenis	✓
Pašattīrošs *	✗	Kalcija indikators	✓
Produkta krāsa *	Melns, Vara krāsa	Enerģijas pārvaldība	
Tvaika padeves funkcija *	✓	Dzelzs *	3200 W
Pastāvīgs tvaiks *	✓	Maiņstrāvas ievades spriegums	220 - 240 V
Nepārtraukts tvaiks *	60 g/min	Maiņstrāvas ievades frekvence	50 - 60 Hz
Nepārtraukta tvaika difūzija	Sirds, Sānu, Uzgalis	Svars&dimensijas	
Automātiska pretapkalpošanas sistēma *	✓	Platums	152 mm
Ūdens rezervuāra tilpums *	0,35 L	Dziļums	317 mm
Ūdens tvertnes tips	Iebūvēts	Augstums	155 mm
Kaļķa nosēdumu savācējs	✓	Svars	2,23 kg
Stabils papēžu atbalsts	✓	Informācija par iepakojumu	
Mainīgā enerģija *	✓	Iepakojuma platums	327 mm
Auklas garums *	2,5 m	Iepakojuma dziļums	168 mm
Tvaika padeves darbības rādītāji *	300 g/min	Iepakojuma augstums	197 mm
Pretpilēšanas funkcija *	✓	Iepakojuma svars	2,37 kg
Pretapkalpošanas sistēmas	✓	Iepakojuma tips	Kaste
Vertikālā tvaika funkcija *	✓	Loģistiskie dati	
Izsmidzināšanas funkcija *	✓	Daudzums uz paletes	72 pcs
Pretapkalpošanas sistēma	✓	Daudzums kārtā	24 pcs
Gludekļa virsmas slidēšanas zvaigznīšu apzīmējums	5	Skaitis iepakojumā	1 pcs
Gludekļa virsmas skrāpējumu izturības zvaigznīšu apzīmējums	5	Apjoms uz jauktā izmantojama tvertni (20 pēdas)	2160 pcs
		Apjoms uz jauktā izmantojama tvertni (40 pēdas)	4464 pcs

Īpašības		Logistiskie dati	
Automātiska izslēgšanās	✓	Kārtas uz paletes	3 pcs



3121040095737

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.