



DELL Plus S2725DSM computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD White



Brand : DELL

Product family: Plus

Product code: DELL-S2725DSM

Product name : S2725DSM

- 68.6cm (27") Quad HD 2560 x 1440 Edge-Lit IPS
 - 8ms, 16:9, 350cd/m², 1500:1
 - HDMI, DisplayPort
- 68.6cm (27") Quad HD 2560 x 1440 Edge-Lit IPS, 16:9, 350cd/m², 16.7M, 8ms, 178°, 1500:1

DELL Plus S2725DSM computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD White:

Experience sharper details and fluid motion with this 27-inch QHD monitor. Featuring a 144Hz refresh rate, built-in speakers, and TÜV 4-star certification for eye comfort.

DELL Plus S2725DSM. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: White

Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Wall mountable	✓
Display resolution *	2560 x 1440 pixels	Cable management	✓
HD type *	Quad HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	11 cm
LED backlight	✓	Pivot	✓
Backlight type	Edge-Lit	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	350 cd/m ²	Swivel angle range	-30 - 30°
Response time *	8 ms	Tilt adjustment	✓
Response time measurement type	GTG (Gray to Gray)	Tilt angle range	-5 - 21°
Response time (MPRT)	1 ms	On Screen Display (OSD)	✓
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Flat	LED indicators	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440	Power	
Supported video modes	480p, 576p, 720p, 1080p	Energy efficiency class (SDR) *	E
Contrast ratio (typical) *	1500:1	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	144 Hz	Energy consumption (SDR) per 1000 hours *	21 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	21.4 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.3 W
Response time (fast)	5 ms	Power consumption (off)	0.3 W
Pixel pitch	0.2331 x 0.2331 mm	AC input voltage	100 - 240 V
Pixel density	109 ppi	AC input frequency	50/60 Hz
Viewable size, horizontal	59.7 cm	Power supply type	Internal
Viewable size, vertical	33.6 cm	Energy efficiency scale	A to G
Viewable size diagonal	68.5 cm	Operational conditions	
Digital horizontal frequency	27 - 218 kHz	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C

Display		Operational conditions	
Digital vertical frequency	48 - 144 Hz	Operating relative humidity (H-H)	10 - 80%
Surface hardness	3H	Storage relative humidity (H-H)	10 - 90%
sRGB coverage (typical)	99%	Operating altitude	0 - 5000 m
Performance		Non-operating altitude	5000 - 12192 m
NVIDIA G-SYNC *	✗	Weight & dimensions	
AMD FreeSync *	✓	Width (with stand)	611.3 mm
Flicker-free technology	✓	Depth (with stand)	201.8 mm
Low Blue Light technology	✓	Height (with stand)	500.1 mm
Multimedia		Weight (with stand)	6.15 kg
Number of speakers	2	Width (without stand)	611.3 mm
RMS rated power	6 W	Depth (without stand)	58.9 mm
Built-in speaker(s) *	✓	Height (without stand)	356 mm
Built-in camera *	✗	Weight (without stand)	4.34 kg
Design		Bezel width (side)	7.3 mm
Market positioning *	Home	Bezel width (top)	7.3 mm
Product colour *	White	Bezel width (bottom)	1.3 cm
Colour name	Ash White	Packaging data	
Detachable stand	✓	Package weight	8.83 kg
Feet colour	White	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✗	Cables included	HDMI
HDMI *	✓	HDMI cable length	1.8 m
HDMI ports quantity	1	Sustainability	
HDMI version	2.1	Sustainability certificates	ENERGY STAR
DisplayPorts quantity	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
DisplayPort version	1.4	Other features	
Headphone out *	✗	Compliance certificates	RoHS
HDCP	✓	Technical details	
HDCP version	1.4	Native refresh rate	60 Hz
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



5397184962992



2000001393031



0884116691419



884116691419

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.