



Dahua Technology PFM3350-1500 nepārtrauktas barošanas avots (UPS) Line-Interactive 1,5 kilovoltampērs 900 W 4 Maiņstrāvas izvade (-s)

Zīmols : Dahua Technology

Preces kods: DH-PFM3350-1500

Modeļa nosaukums : PFM3350-1500

Dahua Technology PFM3350-1500. UPS topoloģija: Line-Interactive, Izejas jaudas kapacitāte (VA): 1,5 kilovoltampērs, Izejas jauda: 900 W. Izeju skaits: 4 Maiņstrāvas izvade (-s). Baterijas tehnoloģija: Svina-skābes, Akumulatora ietilpība: 7 ampērstunda, Baterijas spriegums: 13,7 V. Produkta krāsa: Melns, Apvalka materiāls: Metāls, Plastmasa, Kabeļa garums: 1,2 m. Atbilstības sertifikāti: CE



Īpašības		Dizains	
UPS topoloģija *	Line-Interactive	Apvalka materiāls	Metāls, Plastmasa
Izejas jaudas kapacitāte (VA) *	1,5 kilovoltampērs	Kabeļa garums	1,2 m
Izejas jauda *	900 W	Iebūvēts ventilators	✓
Viļņa forma *	Sine/Pure sine	Produkta krāsa *	Melns
Ievades darbības spriegums (min) *	170 V	Kontroles tips	Pogas
Ievades darbības spriegums (maks) *	280 V	LED indikatori	Jauda, Defekts
Izejas frekvence *	50/60 Hz	Ārējās vides apstākļi	
Izejas darba jauda (maks.)	230 V	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Izejas frekvence	50/60 Hz	Uzglabāšanas temperatūras amplitūda (T-T)	-15 - 55 °C
Maksimālā strāva	7,2 A	Darbības relatīvā mitruma amplitūda	0 - 90%
Atbildes laiks	4 ms	Uzglabāšanas relatīvā mitruma amplitūda	0 - 90%
Jaudas koeficients	0,6	Sertifikāti	
Jaudas aizsardzības apraksts	Pārslodze, Pārlāde, Pārizlāde	Atbilstības sertifikāti	CE
Skaņas signalizācija	✓	Iepakojuma saturs	
Skaņas signāla režīmi	Signāls, darbojoties ar baterijām, Nomaināms akumulators, Defekts, Signāls, kas brīdina par zemu baterijas līmeni, Pārslodzes signāls	Manuāls	✓
Savienojamība		Svars&dimensijas	
Izeju skaits	4 Maiņstrāvas izvade (-s)	Platums	138,4 mm
Baterija		Dziļums	374,5 mm
Baterijas tehnoloģija	Svina-skābes	Augstums	166,5 mm
Akumulatora ietilpība	7 ampērstunda	Svars	11,4 kg
Baterijas spriegums	13,7 V	Informācija par iepakojumu	
Skaits baterijas iekļautas	2 pcs	Iepakojuma platums	195 mm
Baterijas uzlādes laiks	4 h	Iepakojuma dziļums	470 mm
Uzlādes strāva	1 A	Iepakojuma augstums	255 mm

Informācija par iepakojumu

iepakošanas svars	11,8 kg
-------------------	---------

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.