HONOR

Honor Magic8 Lite 5G 17.2 cm (6.79") Dual SIM Android 15 USB Type-C 8 GB 256 GB 7500 mAh Black

Brand : Honor **Product family:** Magic Series **Product code:** 6936520884216

Product name : Magic8 Lite 5G

6.79", 1200 x 2640, Qualcomm Snapdragon 6 Gen 4, 8/256GB, 108/5MP, 16MP, 5G, Wi-Fi 6, Bluetooth 5.2, 7500 mAh, MagicOS 9
Honor Magic8 Lite 5G. Display diagonal: 17.2 cm (6.79"), Display resolution: 1200 x 2640 pixels. Processor family: Snapdragon, Processor model: 6 Gen 4. RAM capacity: 8 GB, Internal storage capacity: 256 GB. Rear camera resolution (numeric): 108 MP, Rear camera type: Dual camera. SIM card capability: Dual SIM. Operating system installed: Android 15. Battery capacity: 7500 mAh. Product colour: Black. Weight: 189 g

Display	
Display diagonal *	17.2 cm (6.79")
Screen shape	Flat
Panel type	AMOLED
Display resolution *	1200 x 2640 pixels
Display number of colours	1.07 billion colours
Maximum refresh rate	120 Hz
Display brightness	800 cd/m²
Maximum display brightness (HDR)	6000 cd/m²
DCI-P3 coverage	100%

Processor	
Processor family *	Snapdragon
Processor model *	6 Gen 4
Processor architecture	ARM Cortex-A720+Cortex-A520
Processor cores	8
Processor boost frequency	2.3 GHz

Storage	
RAM capacity *	8 GB
Internal storage capacity *	256 GB

Camera	
Rear camera resolution (numeric) *	108 MP
Second rear camera resolution (numeric)	5 MP
Rear camera resolution	12000 x 9000 pixels
Rear camera aperture number	1.75

Ports & interfaces	
Headphone connectivity	USB Type-C

Messaging	
Short Message Service (SMS)	✔
E-mail	✔

Navigation	
GPS (satellite)	✔
GLONASS	✔
BeiDou	✔
Galileo	✔
Electronic compass	✔
Position location *	✔

Design	
Form factor *	Bar
Product colour *	Black
Colour name	Midnight Black
Protection features	Drop resistant, Dust resistant, Water resistant
Housing material	Aluminium, Glass

Performance	
Video call	✔
Graphics card	Adreno 810
Fingerprint reader	✔

Publication date: 15-SEP-2026. Prints or copies of Information are only valid on the printed Publication date

Camera	
Second rear camera aperture number	2.2
Digital zoom	10x
Front camera type *	Single camera
Front camera resolution (numeric) *	16 MP
Front camera resolution	4608 x 3456 pixels
Front camera aperture number	2.45
Rear camera flash *	✔
Flash type	LED
Rear camera type *	Dual camera
Time lapse mode	✔
Image stabilizer	✔
Image stabilizer type	Optical Image Stabilization (OIS)
Self-timer	✔
Night mode	✔
Smile detection	✔
Portrait mode	✔
Slow motion mode	✔
AI scene recognition	✔

Network	
SIM card capability *	Dual SIM
Mobile network generation *	5G
SIM card type *	NanoSIM + eSIM
3G standards *	WCDMA
4G standard *	LTE-TDD & LTE-FDD
5G standard *	NR
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Bluetooth *	✔
Bluetooth version	5.2
Bluetooth Low Energy (BLE)	✔
Bluetooth profiles	AAC, APTX-Adaptive, APTX-HD, LDAC, SBC
aptX technology	✔
Frequency band	Dual-band
Wi-Fi Direct	✔
Near Field Communication (NFC)	✔

Ports & interfaces	
USB connector type	USB Type-C
USB version	2.0

Performance	
Face recognition	✔

Multimedia	
Speakers	stereo
Audio formats supported	3GP, AAC, AMR, AWB, FLAC, M4A, Mid, MP3, MP4, OGG, WAV
Video formats supported	3GP, MP4

Software	
Platform *	Android
Operating system installed *	Android 15
User interface (UI)	MagicOS 9.0

Battery	
Battery technology	Lithium Polymer (LiPo)
Battery endurance in cycles *	1200
Battery capacity *	7500 mAh

Sensors	
Proximity sensor	✔
Accelerometer	✔
Ambient light sensor	✔
Gyroscope	✔
Gravity sensor	✔

Power	
USB Type-C charging port *	✔
USB Type-C required charging power (max) *	66 W

Endurance	
Energy efficiency class *	B
Energy efficiency scale	A to G
Battery endurance per cycle *	4139 min
Repeated free fall reliability class *	A
Repairability class *	B
International Protection (IP) code *	IP68

Weight & dimensions	
Width	76.1 mm
Depth	7.76 mm
Height	161.9 mm
Weight *	189 g

Packaging content	
AC adapter included *	✘
Quick start guide	✔
Screen protector	✔
Warranty card	✔
Cables included	USB Type-C
SIM card ejector pin	✔

Operational conditions	
Operating temperature (T-T)	-30 - 55 °C

6936520884216

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 15-SEP-2026. Prints or copies of Information are only valid on the printed Publication date