Hisense

Hisense HV693A65AD посудомоечная машина Полностью встраиваемый 16 мест

Производитель : Hisense

Код товара: HV693A65AD

Модель : HV693A65AD

Hisense HV693A65AD. Размещение бытового устройства: Полностью встраиваемый, Размер: Полный размер (60 см), Цвет панели управления: Серый. Количество мест: 16 мест, Класс шумовыделения: B, Уровень шума: 41 dB. Класс энергоэффективности: A, Потребление воды за цикл: 9,5 L, Энергопотребление на 100 циклов: 49 кВт·ч. Ширина: 598 mm, Глубина: 555 mm, Высота: 816 mm. Технологии Hisense (посудомоечная техника): Anti Flood Protection, Auto Dose, AutoDry

Дизайн	
Размещение бытового устройства *	Полностью встраиваемый
Размер *	Полный размер (60 см)
Декоративная панель *	✔
Цвет двери *	Неприменимо
Цвет панели управления	Серый
Тип управления	Сенсорный
Встроенный экран *	✔
Число корзин	3 корзина(ы)

Производительность	
Уровень шума *	41 dB
Программы мойки посуды *	Авто, Эко, Гигиена, Интенсивный, Ночная съемка, Быстро
Количество мест *	16 мест
Количество программ стирки *	7
Класс шумовыделения *	B
Drying performance	B
Количество настроек температуры	7
Температура (макс) *	70 °C
Продолжительность цикла *	280 min
Таймер отложенного старта	✔
Программируемое время старта (мин.)	0 h
Программируемое время старта (макс.)	24 h

Эргономика	
Контроль с помощью Wi-Fi	✔

Энергопитание	
Шкала классов энергоэффективности	A - G
Класс энергоэффективности *	A
Потребление энергии за цикл	0,49 кВт·ч
Потребление воды за цикл *	9,5 L
Энергопотребление на 100 циклов *	49 кВт·ч
Потребляемая мощность (в режим ожидания)	0,49 W
Входящее напряжение сети	220 - 240 V
Индекс энергоэффективности (EEI)	28
Washing efficiency index (EU 2017/1369)	1,121
Drying efficiency index (EU 2017/1369)	1,061

Вес и размеры	
Глубина	555 mm
Высота	816 mm
Вес	32 kg
Ширина отверстия для установки	60 cm
Минимальная высота установки	82 cm
Ширина *	598 mm

Производительность	
Технология преобразователя	✔

Эргономика	
Автоматическое открытие двери	✔
Автоматическое определение моющего средства	✔
Самоочищающийся фильтр	✔
Внутреннее освещение	✔

Особенности	
Технологии Hisense (посудомоечная техника)	Anti Flood Protection, Auto Dose, AutoDry

Данные об упаковке	
Ширина упаковки	640 mm
Глубина упаковки	665 mm
Высота упаковки	880 mm
Масса брутто	33,8 kg

3838782957949

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 15-SEP-2026. Prints or copies of Information are only valid on the printed Publication date