



Product code: U27G4XM

AOC G4 U27G4XM. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Red



Publication date: 20-SEP-2026. Prints or copies of Information are only valid on the printed Publication date

Display		Weight & dimensions	
High Dynamic Range (HDR) supported	✓	Width (with stand)	614 mm
High Dynamic Range (HDR) technology	DisplayHDR 1000	Depth (with stand)	240 mm
Colour gamut standard	Adobe RGB, DCI-P3, sRGB	Height (with stand)	516.6 mm
sRGB coverage (typical)	151.8%	Weight (with stand)	7.1 kg
Adobe RGB coverage	96.5%	Width (without stand)	614 mm
DCI-P3 coverage	98%	Depth (without stand)	59.4 mm
		Height (without stand)	366.4 mm
		Weight (without stand)	5.6 kg
Performance		Packaging data	
VESA Adaptive Sync support	✓	Package width	820 mm
Flicker-free technology	✓	Package depth	159 mm
Low Blue Light technology	✓	Package height	481 mm
Game mode	✓	Package weight	10.3 kg
Design		Packaging content	
Market positioning *	Gaming	Cables included	AC, HDMI, DisplayPort, USB
Product colour *	Black, Red	DisplayPort cable length	1.8 m
Frameless design	✓	HDMI cable length	1.8 m
Front bezel colour	Black	Power cable length	1.8 m
Detachable stand	✓		
Ports & interfaces		Other features	
Built-in USB hub *	✓	Brand specific technologies	Crosshair
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Low input lag	✓
Number of USB Type-B upstream ports quantity	1	FPS counter	✓
USB Type-A downstream ports quantity	4	Dial point	✓
HDMI *	✓	Shadow control	✓
HDMI ports quantity	1	Local dimming	✓
HDMI version	2.1	Local dimming zones	1152
DisplayPorts quantity	1	Bezel thickness type	Frameless
DisplayPort version	1.4	Warranty period	3 year(s)
Headphone out *	✓	Compliance certificates	CE
HDCP	✓	Certification	WEEE,REACH compliant,RoHs compliant,CB,TUV-Bauart-Mark,ISO 9241-307,EAC,FCC
HDCP version	1.4/2.2		
		Technical details	
		Native refresh rate	60 Hz



4038986183123



6973985233142

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.