

Epson EB-L260F

Brand : Epson

Product code: V11HA69080

Product name : EB-L260F



- 4,600 lumens brightness display: Full HD crisp images and bright colours, even in well-lit rooms
 - A scalable display: Flexible scalable display from 31 inches up to 310 inches
 - Stream content easily: Wireless, MTR auto power-on by HDMI and easy smart stick connection.
 - Fit and forget reliability: Easy installation with multi-projection and signage function.
 - The complete solution: With an incredible contrast ratio of 5,000,000:1, the EB-L260F delivers vivid, lifelike content and defined shadow detail with deeper blacks
- 4600 - 3200 Lumen, 1080p, 16:9, 2500000:1, 10 Bits, 192 Hz - 240 Hz, 260W, AC 220-240 V, 50-60 Hz

Epson EB-L260F:

Wireless laser projector

Combined with advance features, the EB-L260F is an entry-level Full HD wireless laser projector the ideal solution for any working environment. It offers 4,600 lumens brightness, a range of wireless and wired connectivity and the ability to have a scalable display size of up to 310 inches.



Projector		Design	
Screen size compatibility *	787.4 - 7874 mm (31 - 310")	Product type *	Standard throw projector
Projection distance (wide)	0.9 - 9.1 m	Product colour *	White
Contrast ratio (dynamic)	5000000:1	Placement	Ceiling, Desktop, Floor, Wall
Projector brightness *	4600 ANSI lumens	Cable lock slot	✓
Projection technology *	3LCD	Cable lock slot type	Kensington
Projector native resolution *	1080p (1920x1080)	Power	
Contrast ratio (typical) *	2500000:1	Power source *	AC
Native aspect ratio *	16:9	Power consumption (typical) *	199 W
Number of colours	1.07 billion colours	Power consumption (standby) *	0.5 W
Projector brightness (economic mode)	3200 ANSI lumens	Power consumption (max)	260 W
Vertical scan range	192 - 240 Hz	Power consumption (economy mode)	144 W
Keystone correction, horizontal	±30°	AC input voltage	220 - 240 V
Keystone correction, vertical	±30°	AC input frequency	50 - 60 Hz
Heat dissipation	884 BTU/h	Operational conditions	
Light source		Storage temperature (T-T)	-10 - 60 °C
Light source type *	Laser	Operating relative humidity (H-H)	20 - 80%
Service life of light source *	20000 h	Storage relative humidity (H-H)	10 - 90%
Service life of light source (economic mode)	30000 h	Weight & dimensions	
Lens system		Width	325 mm
Focus *	Manual	Depth	299 mm
Focal length range	18.2 - 29.1 mm	Height	90 mm
Aperture range (F-F)	1.51 - 1.77	Weight *	4.15 kg
Zoom capability	✓	Package width	380 mm
Zoom type	Manual	Package depth	495 mm
Zoom ratio	1:1.62	Package height	190 mm
Throw ratio	1.32 - 2.12:1	Package weight	5.93 kg
Offset	1000%	Packaging content	
Video		Remote control included *	✓
Full HD *	✓	Batteries included	✓
Video processing	10 bit	Cables included	HDMI, Power

Video		Packaging content	
Colour modes (2D)	Cinema, Dynamic	Bundled software	Epson Creative Projection, EasyMP Multi PC Projection, Epson Projector Content Manager, Epson Projector Management
Video colour modes	Blackboard, Cinema, DICOM simulation mode, Dynamic, Multi-projection, Presentation, sRGB		
Ports & interfaces		Technical details	
USB 2.0 ports quantity	2	Other features	AV Mute Slide, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Customizable user logo, Direct Power on/off, Document Camera Compatible, Edge Blending, Home Screen, Horizontal and vertical keystone correction, Long light source life, OSD copy function, PC Free, Quick Corner, Schedule Function, Screen Mirroring, Screen share, Split-Screen-Function, Super resolution, Web Control, Wireless LAN capable, iProjection App
USB 2.0 Type-A ports quantity	1		
Audio (L/R) in *	2		
Audio (L/R) out	1		
Microphone in	✓		
Serial interface type *	RS-232C		
VGA (D-Sub) ports quantity *	3		
HDMI ports quantity *	2		
Composite video in *	1		
AC (power) in	✓		
Audio Return Channel (ARC)	✓	Mobile app support	✓
Network		Power consumption	201 Watt (Normal On-Mode), 260 Watt (Normal Peak-mode), 191 Watt (Eco Peak-Mode), 0.5 Watt (Energy saving standby)
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1	Logistics data	Quantity per pack 1 pc(s) Products per pallet 44 pc(s) Pallet gross length 120 cm Pallet gross width 80 cm Pallet gross height 2.24 m Products per pallet layer 4 pc(s) Products per pallet layer (UK) 6 pc(s) Products per pallet (UK) 66 pc(s) Pallet length (UK) 120 cm Pallet height (UK) 2.24 m
Wi-Fi *	✓		
Wi-Fi standards	Wi-Fi 5 (802.11ac)		
Miracast	✓		
Features		Other features	Air filter, Ceiling mount, Connection and control box, Document camera, External Speaker, Safety wire set, Suspension adapter, WP System - ELPWP10, Wall mount, Wireless transmitter - ELPWT01 USB 2.0-A, USB 2.0, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wi-Fi Direct, VGA in (2x), VGA out, Composite in, Miracast, Jack plug out, Jack plug in (2x), Cinch audio out, Microphone input, HDMI (HDCP 2.2) (2x), Wireless LAN IEEE 802.11a/b/g/n/ac 0.62 inch with C2 Fine HTTPS, IPv6, SNMP, ESC/VP.net, PJLink HDMI Cable, Main unit, Power cable, Quick Start Guide, Remote control incl. batteries, Warranty card Kensington lock, Security bar, Control panel lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection
Noise level (economic mode)	27 dB		
HDCP	✓		
Projection modes	Ceiling, Front		
On Screen Display (OSD)	✓		
Screen mirroring	✓		
Noise level *	37 dB		
Air filter	✓		
Country of origin	Philippines		
Password protection	✓		
Multimedia		Option type	
Built-in speaker(s) *	✓	Interface	
RMS rated power	16 W		
		Control panel	
		Supported network protocols	
		Box contents	
		Security features	



8715946715452

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.