

iiyama ProLite X4373UHSU-B2 computer monitor 108 cm (42.5") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : iiyama

Product family: ProLite

Product code: X4373UHSU-B2

Product name : X4373UHSU-B2

43" large format desktop monitor with 4K resolution, giving you the power of four displays in one iiyama ProLite X4373UHSU-B2. Display diagonal: 108 cm (42.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 3 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	108 cm (42.5")	Panel mounting interface	200 x 100 mm
Display resolution *	3840 x 2160 pixels	Wall mountable	✓
HD type *	4K Ultra HD	Cable management	✓
Native aspect ratio *	16:9	Cable lock slot *	✓
Display technology *	LED	Cable lock slot type	Kensington
Panel type *	VA	Height adjustment *	✗
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	450 cd/m²	Tilt angle range	10 - 2°
Response time *	3 ms	On Screen Display (OSD)	✓
Response time measurement type	GTG (Gray to Gray)	On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Portuguese, Russian, Ukrainian
Screen shape *	Flat		
Contrast ratio (typical) *	4000:1		
Contrast ratio (dynamic)	80000000:1		
Maximum refresh rate *	60 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	1.07 billion colours		
Pixel pitch	0.245 x 0.245 mm		
Horizontal scan range	30 - 135 kHz		
Viewable size, horizontal	94.1 cm		
Viewable size, vertical	52.9 cm		
Display diagonal (metric)	108 cm		
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		
Colour depth	10 bit		
Colour gamut standard	NTSC, sRGB		
sRGB coverage (typical)	100%		
NTSC coverage (typical)	85%		
Performance		Power	
Flicker-free technology	✓	Energy efficiency class (SDR) *	E
Low Blue Light technology	✓	Energy efficiency class (HDR) *	G
		Energy consumption (SDR) per 1000 hours *	40.9 kWh
		Energy consumption (HDR) per 1000 hours *	79.1 kWh
		Power consumption (typical) *	41 W
		Power consumption (standby) *	0.5 W
		Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
		Power supply type	Internal
		Energy efficiency scale	A to G
		Weight & dimensions	
		Width (with stand)	977.5 mm
		Depth (with stand)	251 mm
		Height (with stand)	621.5 mm
		Weight (with stand)	14.7 kg
		Packaging data	
		Package width	1071 mm

Multimedia		Packaging data	
Number of speakers	2	Package depth	240 mm
RMS rated power	14 W	Package height	760 mm
Built-in speaker(s) *	✓	Package weight	19.3 kg
Built-in camera *	✗	Package type	Box
Design		USB cable length	1.8 m
Market positioning *	Business	Packaging content	
Product colour *	Black	Cables included	AC, USB, HDMI, DisplayPort, USB Type-C
Ports & interfaces		Remote control included	✓
Built-in USB hub *	✓	DisplayPort cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	HDMI cable length	1.8 m
Number of downstream ports	4	Power cable length	1.8 m
USB Type-C DisplayPort Alternate Mode	✓	Remote control batteries included	✓
USB Power Delivery (USB PD)	✓	Sustainability	
USB Power Delivery up to	95 W	Sustainability certificates	ErP
HDMI *	✓	Other features	
HDMI ports quantity	2	Packaging content	quick start guide, safety guide picture adjust (brightness, contrast, ECO, HDR, ACR, OD, X-res technology, black tuner), colour settings (6-axis, i-Style colour, blue light reducer, gamma, RGB range, colour temperature, user preset), PiP/PbP (PiP/PbP, sub-source, PiP position, PiP size, swap, audio input), OSD (OSD H. position, OSD V. position, OSD time, OSD background, display information, language), miscellaneous (sharpness, video mode adjust, opening logo, power LED, USB-C speed, USB charge, KVM, DDC/CI control, dual mode), input select (source), audio settings (volume, mute audio), recall (recall all?)
HDMI version	2.0	User controls	
DisplayPorts quantity	1		
DisplayPort version	1.2		
Headphone out *	✓		
Built-in KVM switch	✓		
HDCP	✓		
Ergonomics			
VESA mounting *	✓		
		Weight	14.7 kg
		Height	621.5 mm
		Width	977.5 mm
		Depth	251 mm
		Control panel	Input Select, +/-Volume, -/Shortcut, Menu, Power
		Compliance certificates	CE, EAC, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
		Technical details	
		Native refresh rate	60 Hz



4948570126590

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.