



## DELL SE2426H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

**Brand :** DELL

**Product code:** DELL-SE2426H

**Product name :** SE2426H

- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 300cd/m<sup>2</sup>, 1000:1
- HDMI
- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1000:1

DELL SE2426H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

Breeze through everyday tasks on this 23.8-inch monitor with 144Hz refresh rate, 1ms Moving Picture Response Time (MPRT), and TÜV 3-star certification for eye comfort.

DELL SE2426H. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



| Display                        |                                                                                                                                                               | Ergonomics                                |                |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|----------------|
| Display diagonal *             | 60.5 cm (23.8")                                                                                                                                               | Tilt angle range                          | -5 - 21°       |
| Display resolution *           | 1920 x 1080 pixels                                                                                                                                            | On Screen Display (OSD)                   | ✓              |
| HD type *                      | Full HD                                                                                                                                                       | Plug and Play                             | ✓              |
| Native aspect ratio *          | 16:9                                                                                                                                                          | <b>Power</b>                              |                |
| Display technology *           | LCD                                                                                                                                                           | Energy efficiency class (SDR) *           | D              |
| Panel type *                   | IPS                                                                                                                                                           | Energy efficiency class (HDR) *           | Not available  |
| LED backlight                  | ✓                                                                                                                                                             | Energy consumption (SDR) per 1000 hours * | 13 kWh         |
| Backlight type                 | Edge LED                                                                                                                                                      | Power consumption (typical) *             | 13.3 W         |
| Touchscreen *                  | ✗                                                                                                                                                             | Power consumption (standby) *             | 0.3 W          |
| Display brightness (typical)   | 300 cd/m <sup>2</sup>                                                                                                                                         | Power consumption (max)                   | 28 W           |
| Response time *                | 8 ms                                                                                                                                                          | Power consumption (off)                   | 0.3 W          |
| Response time (MPRT)           | 1 ms                                                                                                                                                          | AC input voltage                          | 100 - 240 V    |
| Anti-glare screen              | ✓                                                                                                                                                             | AC input frequency                        | 50/60 Hz       |
| Screen shape *                 | Flat                                                                                                                                                          | Power supply type                         | Internal       |
| Supported graphics resolutions | 720 x 400, 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080) | Energy efficiency scale                   | A to G         |
|                                |                                                                                                                                                               | <b>Operational conditions</b>             |                |
| Supported video modes          | 480p, 576p, 720p, 1080p                                                                                                                                       | Operating temperature (T-T)               | 0 - 40 °C      |
| Contrast ratio (typical) *     | 1000:1                                                                                                                                                        | Storage temperature (T-T)                 | -20 - 60 °C    |
| Maximum refresh rate *         | 144 Hz                                                                                                                                                        | Operating relative humidity (H-H)         | 10 - 80%       |
| Viewing angle, horizontal      | 178°                                                                                                                                                          | Storage relative humidity (H-H)           | 5 - 90%        |
| Viewing angle, vertical        | 178°                                                                                                                                                          | Operating altitude                        | 0 - 5000 m     |
| Display number of colours *    | 16.7 million colours                                                                                                                                          | Non-operating altitude                    | 5000 - 12192 m |
| Response time (fast)           | 4 ms                                                                                                                                                          | <b>Weight &amp; dimensions</b>            |                |
| Pixel pitch                    | 0.2745 x 0.2745 mm                                                                                                                                            | Width (with stand)                        | 538.6 mm       |
| Pixel density                  | 93 ppi                                                                                                                                                        | Depth (with stand)                        | 178.8 mm       |
| Viewable size, horizontal      | 52.7 cm                                                                                                                                                       | Height (with stand)                       | 412.3 mm       |
| Viewable size, vertical        | 29.6 cm                                                                                                                                                       | Weight (with stand)                       | 3.09 kg        |
| Digital horizontal frequency   | 30 - 163 kHz                                                                                                                                                  | Width (without stand)                     | 538.6 mm       |
| Digital vertical frequency     | 48 - 144 Hz                                                                                                                                                   | Depth (without stand)                     | 47.7 mm        |
| Surface hardness               | 3H                                                                                                                                                            | Height (without stand)                    | 324.2 mm       |
| NTSC coverage (typical)        | 72%                                                                                                                                                           | Weight (without stand)                    | 2.76 kg        |
|                                |                                                                                                                                                               | Bezel width (side)                        | 5.8 mm         |

| Performance               |              | Weight & dimensions                          |                           |
|---------------------------|--------------|----------------------------------------------|---------------------------|
| NVIDIA G-SYNC *           | ✗            | Bezel width (top)                            | 5.8 mm                    |
| AMD FreeSync *            | ✓            | Bezel width (bottom)                         | 1.74 cm                   |
| AMD FreeSync type         | FreeSync     | Packaging data                               |                           |
| Flicker-free technology   | ✓            | Package weight                               | 4.94 kg                   |
| Low Blue Light technology | ✓            | Packaging content                            |                           |
| Multimedia                |              | Stand included                               | ✓                         |
| Built-in speaker(s) *     | ✗            | Cables included                              | AC, HDMI                  |
| Built-in camera *         | ✗            | HDMI cable length                            | 1.8 m                     |
| Design                    |              | Sustainability                               |                           |
| Market positioning *      | Office       | Sustainability certificates                  | ENERGY STAR               |
| Product colour *          | Black        | Doesn't contain                              | PVC/BFR, Arsenic, Mercury |
| Detachable stand          | ✓            | Carbon footprint                             |                           |
| Feet colour               | Black        | Total carbon footprint (kg of CO2e)          | 143                       |
| Ports & interfaces        |              | Carbon emissions, manufacturing (kg of CO2e) | 65.64                     |
| Built-in USB hub *        | ✗            | Carbon emissions, logistics (kg of CO2e)     | 9.3                       |
| HDMI *                    | ✓            | Carbon emissions, energy usage (kg of CO2e)  | 65.64                     |
| HDMI ports quantity       | 2            | Carbon emissions, end-of-life (kg of CO2e)   | 2.57                      |
| HDMI version              | 1.4          | PAIA version                                 | GaBi version 1, 2025      |
| Headphone out *           | ✗            | Other features                               |                           |
| HDCP                      | ✓            | Compliance certificates                      | RoHS                      |
| HDCP version              | 1.4          |                                              |                           |
| Ergonomics                |              |                                              |                           |
| VESA mounting *           | ✓            |                                              |                           |
| Panel mounting interface  | 100 x 100 mm |                                              |                           |
| Wall mountable            | ✓            |                                              |                           |
| Cable management          | ✓            |                                              |                           |
| Cable lock slot *         | ✓            |                                              |                           |
| Cable lock slot type      | Kensington   |                                              |                           |
| Height adjustment *       | ✗            |                                              |                           |
| Tilt adjustment           | ✓            |                                              |                           |



5397321028727



0884116692058



884116692058

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.