

Axagon ACU-PQ67D PDA/mobilu telefonu lādētājs Universāls Meln, Pelēks AC Ātrā uzlāde Iekšējais

Zīmols : Axagon

Preces kods: ACU-PQ67D

Modeļa nosaukums : ACU-PQ67D

Axagon ACU-PQ67D. Lādētāja veids: Iekšējais, Barošanas avota veids: AC, Lādētāja saderība: Universāls. Ieejas spriegums: 100 - 240 V. USB 2.0 pieslēgvietu skaits: 1, USB C-veida pieslēgvietu skaits: 1, Ātrā uzlāde, Jaudas aizsardzības apraksts: Pārstrāve, Pārspriegums, Pārkaršana, Īssavienojums. Produkta krāsa: Melns, Pelēks



Darbības rādītāji		Energijas pārvaldība	
Lādētāja saderība *	Universāls	Izejas strāva (12V)	3 A
Barošanas avota veids *	AC	Izejas strāva (15 V)	3 A
USB 2.0 pieslēgvietu skaits	1	Izejas strāva (20 V)	3,35 A
USB C-veida pieslēgvietu skaits	1	Kontaktdakšas veids	C tips
Bezvadu lādēšana	✗	Svars & dimensijas	
Ātrā uzlāde	✓	Platums	32 mm
	Quick Charge 3.0, Quick Charge 4+,	Dziļums	46 mm
Ātrās uzlādes tehnoloģija	Adaptive Fast Charging, Quick Charge 2.0, Power Delivery 2.0, Power Delivery 3.0, Super Fast Charging	Augstums	90 mm
Lādētāja veids *	Iekšējais	Svars	105 g
Vienlaicīgi savienoto ierīču skaits (maks) *	2	Informācija par iepakojumu	
Programmējams barošanas avots (PPS)	✓	Iepakojuma platums	80 mm
USB barošanas padeve	✓	Iepakojuma dziļums	40 mm
USB barošanas versija	3.0	Iepakojuma augstums	100 mm
Jaudas aizsardzības apraksts	Pārstrāve, Pārspriegums, Pārkaršana, Īssavienojums	Iepakojuma svars	136 g
		Iepakojuma tips	Piekarama kaste
Dizains		Iepakojuma saturs	
Produkta krāsa *	Meln, Pelēks	Skaits iepakojumā	1 pcs
Apvalka materiāls	Plastmasa, Alumīnijs	Manuāls	✓
LED indikatori	Ātrums	Sertifikāti	
Plug and Play	✓	Elektrisko un elektronikas iekārtu atkritumi (WEEE)	✓
Gallija nitrīda (GaN) tranzistori	✓	Atbilstības sertifikāti	CE, RoHS, Federālā komunikāciju komisija
		Sertifikācija	CE, RoHS
Energijas pārvaldība		Ilgspēja	
Ieejas spriegums	100 - 240 V	Nesatur	Svins, Dzīvsudrabs, Kadmījs
Ieejas frekvence	50/60 Hz	Loģistikie dati	
Ieejas strāva	1.8 A	Garantijas periods	3 gads(i)

Enerģijas pārvaldība		Logistiskie dati	
Porta 1 izejas jauda	67 W	Izcelsmes valsts	Ķīna
Porta 2 izejas jauda	30 W	Papildus informācija	
Izvades strāva (5 V)	3 A	Iebūvēta displeja	✓
Izvades strāva (9 V)	3 A	Ekrāna veids	LCD



8595247909145

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.