

iiyama ProLite XB2495WSU-B1 computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black

Brand : iiyama

Product family: ProLite

Product code: XB2495WSU-B1

Product name : XB2495WSU-B1

24" 4-side slim bezel IPS monitor with 16:10 WUXGA resolution and 15cm height-adjustable stand iiyama ProLite XB2495WSU-B1. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	61.2 cm (24.1")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1200 pixels	Cable management	✓
HD type *	WUXGA	Cable lock slot *	✓
Native aspect ratio *	16:10	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	15 cm
Touchscreen *	✗	Pivot	✓
Display brightness (typical)	350 cd/m²	Swivelling	✓
Response time *	4 ms	Swivel angle range	-60 - 60°
Response time measurement type	GTG (Gray to Gray)	Tilt adjustment	✓
Display surface	Matt	On Screen Display (OSD) languages	Traditional Chinese, Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian, Ukrainian, Turkish
Screen shape *	Flat		
Contrast ratio (typical) *	1500:1		
Contrast ratio (dynamic)	8000000:1		
Maximum refresh rate *	100 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	C
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	Not available
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	12 kWh
Pixel pitch	0.27 x 0.27 mm	Power consumption (typical) *	12 W
Horizontal scan range	30 - 135 kHz	Power consumption (standby) *	0.5 W
Viewable size, horizontal	51.8 cm	Power consumption (off)	0.3 W
Viewable size, vertical	32.4 cm	AC input voltage	100 - 240 V
Display diagonal (metric)	61.1 cm	AC input frequency	50/60 Hz
DDC/CI	✓	Power supply type	Internal
sRGB coverage (typical)	99%	Weight & dimensions	
NTSC coverage (typical)	72%	Width (with stand)	533.5 mm

Performance		Weight & dimensions	
Flicker-free technology	✓	Depth (with stand)	209.5 mm
Multimedia		Height (with stand)	521 mm
Number of speakers	2	Weight (with stand)	4.9 kg
RMS rated power	4 W	Height (without stand)	373.5 mm
Built-in speaker(s) *	✓	Packaging data	
Built-in camera *	✗	Package width	613 mm
Design		Package depth	437 mm
Market positioning *	Office	Package height	130 mm
Product colour *	Black	Package weight	6.9 kg
Ports & interfaces		USB cable length	1.8 m
Built-in USB hub *	✓	Packaging content	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Cables included	AC, USB, HDMI
Number of downstream ports	4	HDMI cable length	1.8 m
Number of USB Type-C upstream ports quantity	1	Power cable length	1.8 m
HDMI *	✓	Sustainability	
HDMI ports quantity	1	Sustainability certificates	ErP, TCO
HDMI version	1.4	Other features	
DisplayPorts quantity	1	User controls	picture adjust (brightness, contrast, ECO, ACR, OD, X-res technology), colour settings (6-axis, i-Style colour, RGB range, colour temp., user preset), OSD (OSD H. position, OSD V. position, OSD rotate, OSD time, OSD background, DDC/CI control, display information), language, extra 1 (sharpness, video mode adjust, opening logo, power LED, USB charge), extra 2 (shortcut key, FW version), input select, audio settings (volume, mute), reset (recall all?)
DisplayPort version	1.2		
Headphone out *	✓		
HDCP	✓		
Ergonomics		Packaging content	quick start guide, safety guide
VESA mounting *	✓	Weight	4.9 kg
		Width	533.5 mm
		Depth	209.5 mm
		Control panel	Joystick/Power Button: (Centre) Power/Menu, Up/Input Select, Down, Right/Volume, Left/Show Submenu
		Compliance certificates	CE, EAC, REACH, RoHS, TÜV mark, UKCA, WEEE
Technical details			
		Native refresh rate	60 Hz



4948570127641

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.