



## DELL Pro P P2426 computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Grey

**Brand :** DELL

**Product family:** Pro P

**Product code:** DELL-P2426

**Product name :** P2426

- 24.1" LCD IPS
  - WUXGA, 16:10, 1920 x 1200
  - 100Hz, 5ms
  - USB Hub
- 24.1", 1920 x 1200 Edge LED IPS, 100Hz, 16:10, 5ms, 178°/178°

**DELL Pro P P2426 computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Grey:**

Equipped for seamless productivity, this 24-inch FHD monitor offers extensive connectivity, high refresh rate and TÜV-certified 4-star eye comfort.

DELL Pro P P2426. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Grey



| Display                        |                                                                                                                                                               | Ergonomics                                |                |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|----------------|
| Display diagonal *             | 61.2 cm (24.1")                                                                                                                                               | Adjustable height (max)                   | 15 cm          |
| Display resolution *           | 1920 x 1200 pixels                                                                                                                                            | Pivot                                     | ✓              |
| HD type *                      | WUXGA                                                                                                                                                         | Pivot angle                               | -90 - 90°      |
| Native aspect ratio *          | 16:10                                                                                                                                                         | Swivelling                                | ✓              |
| Display technology *           | LCD                                                                                                                                                           | Swivel angle range                        | -45 - 45°      |
| Panel type *                   | IPS                                                                                                                                                           | Tilt adjustment                           | ✓              |
| LED backlight                  | ✓                                                                                                                                                             | Tilt angle range                          | -5 - 21°       |
| Backlight type                 | Edge LED                                                                                                                                                      |                                           |                |
| Touchscreen *                  | ✗                                                                                                                                                             | Power                                     |                |
| Display brightness (peak)      | 300 cd/m <sup>2</sup>                                                                                                                                         | Energy efficiency class (SDR) *           | D              |
| Response time *                | 8 ms                                                                                                                                                          | Energy efficiency class (HDR) *           | Not available  |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                                            | Energy consumption (SDR) per 1000 hours * | 14 kWh         |
| Anti-glare screen              | ✓                                                                                                                                                             | Power consumption (typical) *             | 13.6 W         |
| Screen shape *                 | Flat                                                                                                                                                          | Power consumption (standby) *             | 0.3 W          |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA) | Power consumption (max)                   | 68 W           |
|                                |                                                                                                                                                               | Power consumption (off)                   | 0.3 W          |
| Supported video modes          | 1080p, 720p, 576p, 480p                                                                                                                                       | AC input voltage                          | 100 - 240 V    |
| Contrast ratio (typical) *     | 1500:1                                                                                                                                                        | AC input frequency                        | 50/60 Hz       |
| Maximum refresh rate *         | 100 Hz                                                                                                                                                        | Input current                             | 1.5 A          |
| Viewing angle, horizontal      | 178°                                                                                                                                                          | Power supply type                         | Internal       |
| Viewing angle, vertical        | 178°                                                                                                                                                          | Energy efficiency scale                   | A to G         |
| Display number of colours *    | 16.7 million colours                                                                                                                                          | Operational conditions                    |                |
| Response time (fast)           | 5 ms                                                                                                                                                          | Operating temperature (T-T)               | 0 - 40 °C      |
| Pixel pitch                    | 0.27 x 0.27 mm                                                                                                                                                | Storage temperature (T-T)                 | -20 - 60 °C    |
| Pixel density                  | 94 ppi                                                                                                                                                        | Operating relative humidity (H-H)         | 10 - 80%       |
| Viewable size, horizontal      | 61.1 cm                                                                                                                                                       | Storage relative humidity (H-H)           | 5 - 90%        |
| Viewable size, vertical        | 51.8 cm                                                                                                                                                       | Non-operating altitude                    | 5000 - 12192 m |

| Display                                      |              | Weight & dimensions                          |                                              |
|----------------------------------------------|--------------|----------------------------------------------|----------------------------------------------|
| Viewable size diagonal                       | 32.4 cm      | Width (with stand)                           | 531.8 mm                                     |
| Digital horizontal frequency                 | 30 - 127 kHz | Depth (with stand)                           | 181.8 mm                                     |
| Digital vertical frequency                   | 48 - 100 Hz  | Height (with stand)                          | 511.2 mm                                     |
| Surface hardness                             | 3H           | Weight (with stand)                          | 4.57 kg                                      |
| sRGB coverage (typical)                      | 99%          | Width (without stand)                        | 531.8 mm                                     |
| Performance                                  |              | Depth (without stand)                        | 50 mm                                        |
| NVIDIA G-SYNC *                              | ✗            | Height (without stand)                       | 343.7 mm                                     |
| AMD FreeSync *                               | ✗            | Weight (without stand)                       | 3.07 kg                                      |
| Flicker-free technology                      | ✓            | Bezel width (side)                           | 6.7 mm                                       |
| Low Blue Light technology                    | ✓            | Bezel width (top)                            | 6.7 mm                                       |
|                                              |              | Bezel width (bottom)                         | 1.3 cm                                       |
| Multimedia                                   |              | Packaging data                               |                                              |
| Built-in speaker(s) *                        | ✗            | Package weight                               | 6.74 kg                                      |
| Built-in camera *                            | ✗            | Packaging content                            |                                              |
| Design                                       |              | Stand included                               | ✓                                            |
| Market positioning *                         | Consumer     | Cables included                              | Power, DisplayPort, USB Type-A to USB Type-B |
| Product colour *                             | Grey         | DisplayPort cable length                     | 1.8 m                                        |
| Ports & interfaces                           |              | Sustainability                               |                                              |
| Built-in USB hub *                           | ✓            | Sustainability certificates                  | ENERGY STAR, TCO                             |
| USB upstream port type                       | USB Type-B   | Doesn't contain                              | PVC/BFR, Arsenic, Mercury                    |
| Number of USB Type-B upstream ports quantity | 1            | Carbon footprint                             |                                              |
| USB Type-A downstream ports quantity         | 3            | Total carbon footprint (kg of CO2e)          | 152                                          |
| USB Type-C downstream ports quantity         | 1            | Carbon emissions, manufacturing (kg of CO2e) | 70.68                                        |
| HDMI *                                       | ✓            | Carbon emissions, logistics (kg of CO2e)     | 13.53                                        |
| HDMI ports quantity                          | 1            | Carbon emissions, energy usage (kg of CO2e)  | 62.17                                        |
| HDMI version                                 | 1.4          | Carbon emissions, end-of-life (kg of CO2e)   | 5.62                                         |
| DisplayPorts quantity                        | 1            | PAIA version                                 | GaBi version 2, 2026                         |
| DisplayPort out version                      | 1.4          | Other features                               |                                              |
| Headphone out *                              | ✗            | Compliance certificates                      | RoHS                                         |
| HDCP                                         | ✓            | Technical details                            |                                              |
| HDCP version                                 | 1.4          | Native refresh rate                          | 60 Hz                                        |
| Ergonomics                                   |              |                                              |                                              |
| VESA mounting *                              | ✓            |                                              |                                              |
| Panel mounting interface                     | 100 x 100 mm |                                              |                                              |
| Cable management                             | ✓            |                                              |                                              |
| Cable lock slot *                            | ✓            |                                              |                                              |
| Cable lock slot type                         | Kensington   |                                              |                                              |
| Height adjustment *                          | ✓            |                                              |                                              |



5397321029526



0884116692973



884116692973

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.