



# Acer PD Serie

PD1500

Business projector meets LED efficiency: a perfect combination



- Light technology: RGBLED
- Resolution: 1080p Full HD (1,920 x 1,080 px)
- Life (hr.): 20,000 (standard), 30,000 (eco)





Acer PD1500

SPECIFICATIONS



Ordering Information

|                |               |
|----------------|---------------|
| Model          | PD1500        |
| Article number | MR.JY011.001  |
| EAN            | 4711474216120 |

Technical Specifications

|                                       |                                                           |
|---------------------------------------|-----------------------------------------------------------|
| Projection technology                 | -                                                         |
| DLP Chip                              | 0.47"                                                     |
| Version                               | DMD                                                       |
| Resolution                            | 1080p Full HD (1,920 x 1,080 px)                          |
| Display Format                        | 16:9 (native) / 4:3 (supported)                           |
| Contrast                              | -                                                         |
| Displayable Colours                   | 1.07 Billion Colors                                       |
| Brightness                            | -                                                         |
| Focus / Focal distance                | F = 2.00 ~ 2.05 / f = 15.84 ~ 17.45 mm                    |
| Projection size (diagonal)            | -                                                         |
| Projection distance                   | 1.0 ~ 3.2 m                                               |
| Throw ratio                           | 1.50 ~ 1.65:1                                             |
| Zoom / Digital-Zoom                   | -                                                         |
| Image Offset                          | 110 %                                                     |
| Horizontal / Vertical frequency       | 15 ~ 102 kHz                                              |
| Projection Modes                      | Front- / Rear- & Front-Ceiling- / Rear-Ceiling-Projection |
| Light technology                      | RGBLED                                                    |
| Life (hr.)                            | 20,000 (standard), 30,000 (eco)                           |
| Speaker                               | 1x 5 Watt                                                 |
| Weight / incl. packaging (kg)         | 2.3 kg / 4,00 kg                                          |
| Dimensions / Shipping dimensions (mm) | 238 x 215.4 x 127.4 mm / 400 x 200 x 297                  |
| Power Consumption                     | -                                                         |
| Noise level                           | 26 (eco) dB                                               |
| Uniformity (%)                        | 85 %                                                      |
| Color                                 | white                                                     |

Included Accessory

|            |          |
|------------|----------|
| HDMI cable | 1x 1.8 m |
|------------|----------|

Optional Accessory

|                               |                              |
|-------------------------------|------------------------------|
| Universal ceiling mount long  | 4713147892884 / MC.JLC11.003 |
| Universal ceiling mount short | 4713147892877 / MC.JLC11.002 |

Projection Distance Calculator

|                                |                                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Projection Distance Calculator | <a href="https://www.acer.com/ac/de/CH/content/acer-projection-calculator">https://www.acer.com/ac/de/CH/content/acer-projection-calculator</a> |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|

This data sheet is subject to change without notice. Availability may vary from region to region. Acer is not liable for any errors or omissions contained in the product descriptions. In addition to the standard warranty conditions, the statutory warranty regulations also apply to consumers. For more information on exclusions and limitations, please refer to our warranty conditions for the respective product. If the warranty period in the PDF document for the warranty conditions differs from the information on the Acer homepage, the information given on this website applies and not the information contained in the PDF. Copyright 2024 Acer, Inc. all rights reserved. Acer and the Acer logo are registered trademarks of Acer Incorporated. All other trademarks, registered trademarks and/or service marks mentioned or otherwise recognizable are the property of their respective owners. All prices quoted are manufacturer's suggested retail prices.



Acer PD1500

APPROPRIATE ACCESSORIE (NOT INCLUDES IN DELIVERY)

Universal Ceiling Mount short



Easily mount your projector to the ceiling with 360° rotation and up to 25° tilt.

Universal Ceiling Mount long



Easily mount your projector to the ceiling with 360° rotation and up to 25° tilt.



## Acer PD1500

## ACCESSORIES AND FEATURES

### Instant Pack

InstantPack guarantees the lamp safety of Acer ColorBoost projectors. The current lamps from renowned manufacturers such as Osram and Philips are not damaged in the event of a sudden loss of power. (Acer recommends that the projector be powered until the fan stops) The lamp warranty is 1 year with no hour limit.



### Rec. 709

Rec.709 is the first worldwide uniform standard for HDTV (High Definition Television). By complying with the Rec.709 standard, the projector is able to reproduce any high-definition content, whether it is a television signal, Blu-Ray content, content from video platforms, camcorders or cameras, in the original format and with the same quality.



### Auto Shutdown

The Auto Shutdown function automatically shuts down the Acer projector, if no input signal is received after a preset time. This function can be set individually via the menu and helps to save power and lamp hours.



### Instant On/Off

Unlike conventional lamp-based projectors, there is no need to warm up or cool down the device. The user can switch off the projector and then immediately disconnect the power cable without damaging the device, saving time.



### LED light source

The environmentally friendly LED light source is mercury-free, long-lasting and energy-saving. It enables vivid colors and long-lasting brightness stability. The LED light source enables an incredible service life of 30,000 hours and therefore 10 years with 8 hours of use per day.

