



Acer VG270 P6 монитор для ПК 68,6 см (27") 1920 x 1080 пикселей Full HD Черный

Производитель : Acer

Код товара: UM.HV0EE.605

Модель : VG270 P6

Acer VG270 P6. Диагональ экрана: 68,6 см (27"), Разрешение экрана: 1920 x 1080 пикселей, Тип HD: Full HD, Время отклика: 4 ms, Собственное форматное соотношение: 16:9, Угол обзора по горизонтали: 178°, Угол обзора по вертикали: 178°. крепление VESA. Цвет товара: Черный



Экран		Эргономика	
Диагональ экрана *	68,6 см (27")	Крепление VESA	100 x 100 mm
Разрешение экрана *	1920 x 1080 пикселей	Слот кабельной блокировки *	✓
Тип HD *	Full HD	Тип слота кабельной блокировки	Kensington
Собственное форматное соотношение *	16:9	Регулировка высоты *	✗
Тип матрицы *	TFT/IPS	Регулировка угла наклона	✓
LED подсветка	✓	Угол наклона	-5 - 25°
Тип подсветки	Direct LED	Энергопитание	
Яркость дисплея (типичная)	250 cd/m²	Класс энергоэффективности (SDR) *	D
Время отклика *	4 ms	Класс энергоэффективности (HDR) *	Отсутствует
Тип измерения времени отклика	GTG (Gray to Gray)	Энергопотребление (SDR) на 1000 часов *	15 кВт·ч
Антибликовый экран	✓	Потребляемая мощность (в режим ожидания) *	0,5 W
Форма экрана *	Плоский	Потребляемая мощность (выкл.)	0,3 W
Контрастность (типичная) *	1500:1	Вес и размеры	
Контрастность (динамическая)	100000000:1	Ширина с подставкой	612,1 mm
Максимальная частота обновления *	144 Hz	Глубина с подставкой	199,5 mm
Угол обзора по горизонтали	178°	Высота с подставкой	464,1 mm
Угол обзора по вертикали	178°	Вес (со стойкой)	3,66 kg
Количество цветов экрана *	16,7 миллионов цветов	Данные об упаковке	
sRGB охват (обычный)	99%	Ширина упаковки	695 mm
Производительность		Глубина упаковки	124 mm
AMD FreeSync *	✓	Высота упаковки	433 mm
Тип AMD FreeSync	FreeSync	Масса брутто	6,26 kg
Дизайн		Содержимое упаковки	
Позиционирование на рынке *	Игровой	Поставляемые кабели	HDMI, Напряжение
Цвет товара *	Черный	Краткая инструкция пользователя	✓
Порты и интерфейсы		Прочие свойства	
HDMI *	✓	Активная область экрана (Ш x В)	598 x 336 mm
Количество HDMI портов	1	Гарантийный срок	2 лет
Версия HDMI	1.4		
Количество портов DisplayPort	1		
DisplayPort out version	1.2		

Эргономика		Прочие свойства	
крепление VESA *	✓	Среднее время наработки на отказ	30000 h



4711474442901

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.