



DELL Pro P P2426HEWO computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Grey


Brand : DELL

Product family: Pro P

Product code: DELL-P2426HEWO

Product name : P2426HEWO

- 23.8" LCD IPS
- Full HD, 16:9, 1920 x 1080
- 120Hz, 5ms
- USB Hub, USB PD (96W)
23.8", 1920 x 1080 Edge LED IPS, 120Hz, 16:9, 5ms, 178°/178°, USB PD (96W)



DELL Pro P P2426HEWO computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Grey:

Equipped for seamless productivity, this 23.8-inch FHD hub monitor (without stand) offers extensive connectivity, up to 100W of power delivery, and TÜV-certified 4-star eye comfort.
DELL Pro P P2426HEWO. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting. Product colour: Grey

Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	HDMI ports quantity	1
Display resolution *	1920 x 1080 pixels	HDMI version	1.4
HD type *	Full HD	DisplayPorts quantity	1
Native aspect ratio *	16:9	DisplayPort out quantity	1
Display technology *	LCD	DisplayPort out version	1.4
Panel type *	IPS	Headphone out *	✗
LED backlight	✓	HDCP	✓
Backlight type	Edge LED	HDCP version	1.4
Touchscreen *	✗	Network	
Display brightness (peak)	300 cd/m²	Ethernet LAN	✓
Response time *	8 ms	Ergonomics	
Response time measurement type	GTG (Gray to Gray)	VESA mounting *	✓
Anti-glare screen	✓	Panel mounting interface	100 x 100 mm
Screen shape *	Flat	Cable lock slot *	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Cable lock slot type	Kensington
Supported video modes	1080p, 720p, 576p, 480p	Height adjustment *	✗
Contrast ratio (typical) *	1500:1	Power	
Maximum refresh rate *	120 Hz	Energy efficiency class (SDR) *	D
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	Not available
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	14 kWh
Display number of colours *	16.7 million colours	Power consumption (typical) *	13.8 W
Response time (fast)	5 ms	Power consumption (standby) *	0.3 W
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (max)	215 W
Pixel density	93 ppi	Power consumption (off)	0.3 W
Viewable size, horizontal	52.7 cm	AC input voltage	100 - 240 V
Viewable size, vertical	29.6 cm	AC input frequency	50/60 Hz
Viewable size diagonal	60.5 cm	Input current	2.25 A
Digital horizontal frequency	30 - 135 kHz	Power supply type	Internal
Digital vertical frequency	48 - 120 Hz	Energy efficiency scale	A to G
Surface hardness	3H	Operational conditions	
sRGB coverage (typical)	99%	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%

Performance		Operational conditions	
NVIDIA G-SYNC *	✗	Storage relative humidity (H-H)	5 - 90%
AMD FreeSync *	✗	Operating altitude	0 - 5000 m
Flicker-free technology	✓	Non-operating altitude	5000 - 12192 m
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (without stand)	538.6 mm
Built-in speaker(s) *	✗	Depth (without stand)	50 mm
Built-in camera *	✗	Height (without stand)	314.2 mm
Design		Weight (without stand)	3.45 kg
Market positioning *	Consumer	Bezel width (side)	5.8 mm
Product colour *	Grey	Bezel width (top)	5.8 mm
		Bezel width (bottom)	1.2 cm
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package weight	5.45 kg
USB upstream port type	USB Type-C	Packaging content	
Number of USB Type-C upstream ports quantity	1	Stand included	✓
USB Type-A downstream ports quantity	2	Cables included	Power, USB Type-C to USB Type-C
USB Type-C downstream ports quantity	1	Sustainability	
USB Type-C DisplayPort Alternate Mode	✓	Sustainability certificates	ENERGY STAR, TCO, TCO10, EPEAT, EPEAT Gold, EPEAT Climate +
USB Power Delivery (USB PD)	✓	Doesn't contain	PVC/BFR, Arsenic, Mercury
USB Power Delivery up to	96 W	Other features	
HDMI *	✓	Compliance certificates	RoHS



5397321029465

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.