

Hisense AX5140Q Dolby Atmos Soundbar

Brand : Hisense



Product code: 20016768

Product name : AX5140Q Dolby Atmos Soundbar

- 5.1.4 CH Audio
- Dolby Atmos
- DTS : X
- Hi-Concerto
- Room Calibration
- 13 Speakers with 6.5"Subwoofer
- True Wireless Rear Surround
- Pure Surround Tech

AX3120Q Dolby Atmos 5.1.4 CH Soundbar, 600 W

Hisense AX5140Q Dolby Atmos Soundbar. Audio output channels: 5.1.4 channels, RMS rated power: 600 W, Audio decoders: DTS:X, Dolby Atmos. Soundbar speaker RMS power: 280 W, Crossover frequency: 20000 Hz. Subwoofer connectivity: Wireless, Subwoofer RMS power: 280 W, Woofer diameter (subwoofer): 16.5 cm (6.5"). Product colour: Black, Country of origin: China. Connectivity technology: Wireless



Audio		Ports & interfaces	
Audio output channels *	5.1.4 channels	USB 2.0 ports quantity	1
RMS rated power *	600 W	Digital audio optical in	1
Audio decoders	DTS:X, Dolby Atmos	Headphone outputs	1
Enhanced Audio Return Channel (eARC)	✓	Power	
Artificial intelligence(AI) room calibration	✓	AC input voltage	100-240 V
Soundbar speaker		AC input frequency	50-60 Hz
Soundbar speaker RMS power *	280 W	Power consumption (standby)	0.5 W
Crossover frequency	20000 Hz	Weight & dimensions	
Number of speakers	13	Width	1020 mm
Subwoofer		Depth	109 mm
Subwoofer included *	✓	Height	57 mm
Subwoofer connectivity	Wireless	Weight	9.2 kg
Subwoofer RMS power	280 W	Packaging data	
Woofer diameter (subwoofer)	16.5 cm (6.5")	Package width	1090 mm
Features		Package depth	220 mm
Product colour *	Black	Package height	520 mm
Auto power off	✓	Package weight	13.5 kg
Virtual surround	✓	Packaging content	
Wall mountable *	✓	Wall mounting kit	✓
Country of origin	China	Cables included	HDMI
Ports & interfaces		Remote control included	✓
Connectivity technology *	Wireless	Batteries included	✓
Bluetooth *	✓	Quick start guide	✓
Bluetooth version	5.3	Logistics data	
HDMI ports quantity *	2	Commodity code	85198100

Ports & interfaces		Other features	
HDMI version	2.0	Soundbar frequency range	40 - 20000 Hz
USB port	✓	Remote control battery type	AAA
		Number of remote control batteries	2



6942351423456

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.