

CyberPower UT1050EG nepārtrauktas barošanas avots (UPS) Line-Interactive 1,05 kilovoltampērs 630 W 4 Maiņstrāvas izvade (-s)

Zīmols : CyberPower

Preces kods: UT1050EG

Modeļa nosaukums : UT1050EG

CyberPower UT1050EG. UPS topoloģija: Line-Interactive, Izejas jaudas kapacitāte (VA): 1,05 kilovoltampērs, Izejas jauda: 630 W. Maiņstrāvas izeju tipi: Tips F, Izeju skaits: 4 Maiņstrāvas izvade (-s), Kabeļa likšanas tehnoloģija: 10/100/1000Base-T(X). Baterijas tehnoloģija: Noslēgts svina skābju (VRLA), Baterijas uzlādes laiks: 6 h. Formas faktors: Tower, Produkta krāsa: Melns, Apvalka materiāls: Plastmasa. Atbilstības sertifikāti: RoHS, Sertifikācija: CE, EAC



Īpašības		Savienojamība	
UPS topoloģija *	Line-Interactive	Ethernet LAN (RJ-45) pieslēgvietu skaits	2
Izejas jaudas kapacitāte (VA) *	1,05 kilovoltampērs	Kabeļa likšanas tehnoloģija	10/100/1000Base-T(X)
Izejas jauda *	630 W	Baterija	
Viļņa forma *	Sinuss	Baterijas tehnoloģija	Noslēgts svina skābju (VRLA)
Ievades darbības spriegums (min) *	165 V	Baterijas uzlādes laiks	6 h
Ievades darbības spriegums (maks) *	290 V	Dizains	
Izejas frekvence *	50/60 Hz	Formas faktors *	Tower
Izejas darba jauda (maks.)	230 V	Apvalka materiāls	Plastmasa
Izejas frekvence	50/60 Hz	Produkta krāsa *	Melns
Automātiskā sprieguma regulēšana (AVR)	✓	LED indikatori	✓
Sprieguma plūdzlāde	150 J	Ārējās vides apstākļi	
Atbildes laiks	4 ms	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Izvades fāžu skaits	1	Uzglabāšanas temperatūras amplitūda (T-T)	-20 - 50 °C
EMI/RFI trokšņu filtrācija	✓	Darbības relatīvā mitruma amplitūda	0 - 90%
Aizsardzības pret pārspriegumu īpašības	DSL līnija, Fakss, Modems, Tīkls	Uzglabāšanas relatīvā mitruma amplitūda	0 - 90%
Jaudas aizsardzības apraksts	Pārslodze, Īssavienojums	Ekspluatācijas augstums	0 - 3000 m
Skaņas signalizācija	✓	Ne-operacionālais augstums	0 - 3000 m
Skaņas signāla režīmi	Signāls, darbojoties ar baterijām, Defekts, Signāls, kas brīdina par zemu baterijas līmeni, Pārslodzes signāls	Sertifikāti	
Savienojamība		Atbilstības sertifikāti	RoHS
Maiņstrāvas izeju tipi	Tips F	Sertifikācija	CE, EAC
Izeju skaits	4 Maiņstrāvas izvade (-s)	Svars&dimensijas	
USB pieslēgvietā	✓	Platums	95 mm
		Dziļums	307 mm

Svars&dimensijas

Augstums	220 mm
Svars	6,9 kg



4712856273519

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.