



APC BE850G2-FR nepārtrauktas barošanas avots (UPS) Gaidstāve (bezaiste) 0,85 kilovoltampērs 520 W

Zīmols : APC

Preces kods: BE850G2-FR

Modeļa nosaukums : BE850G2-FR

APC BE850G2-FR. UPS topoloģija: Gaidstāve (bezaiste), Izejas jaudas kapacitāte (VA): 0,85 kilovoltampērs, Izejas jauda: 520 W. Maiņstrāvas izeju tipi: E tips, USB pieslēgvietas veids: USB Veids-C, Kabeļa likšanas tehnoloģija: 10/100Base-T. Akumulatora darbības laiks (maks.): 5 gads(i), Baterijas uzlādes laiks: 16 h. Formas faktors: Kompakts, Produkta krāsa: Melns, Kabeļa garums: 1,83 m. Atbilstības sertifikāti: RoHS, Sertifikācija: CE, EAC



Īpašības		Baterija	
UPS topoloģija *	Gaidstāve (bezaiste)	Nomaināmās baterijas kārtidžs	1
Izejas jaudas kapacitāte (VA) *	0,85 kilovoltampērs	Dizains	
Izejas jauda *	520 W	Formas faktors *	Kompakts
Viļņa forma *	Sinuss	Kabeļa garums	1,83 m
Ievades darbības spriegums (min) *	220 V	Produkta krāsa *	Melns
Ievades darbības spriegums (maks) *	230 V	LED indikatori	✓
Izejas frekvence *	47/63 Hz	Ārējās vides apstākļi	
Izejas darba jauda (min.)	220 V	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Izejas darba jauda (maks.)	230 V	Uzglabāšanas temperatūras amplitūda (T-T)	-15 - 45 °C
Izejas frekvence	47/63 Hz	Darbības relatīvā mitruma amplitūda	0 - 90%
Maksimālā strāva	6 A	Uzglabāšanas relatīvā mitruma amplitūda	0 - 95%
Sprieguma plūdzlāde	310 J	Ne-operacionālais augstums	0 - 4500 m
Efektivitāte	80%	Sertifikāti	
Trokšņu līmenis	45 dB	Atbilstības sertifikāti	RoHS
Aizsardzība pret pārspriegumu	✓	Sertifikācija	CE, EAC
Aizsardzības pret pārspriegumu īpašības	DSL līnija	Iepakojuma saturs	
Skaņas signalizācija	✓	Vadības karte iekļauta	✗
Skaņas signāla režīmi	Signāls, darbojoties ar baterijām, Signāls, kas brīdina par zemu baterijas līmeni, Pārslodzes signāls	Manuāls	✓
Savienojamība		Svars&dimensijas	
Maiņstrāvas izeju tipi	E tips	Platums	130 mm
USB pieslēgvietā	✓	Dziļums	365 mm
USB pieslēgvietas veids	USB Veids-C	Augstums	120 mm
Ethernet LAN (RJ-45) pieslēgvietu skaits	1	Svars	4,5 kg
Kabeļa likšanas tehnoloģija	10/100Base-T		

Savienojamība		Informācija par iepakojumu	
SmartSlot	×	lepkojuma platums	186 mm
SmartConnect ports	×	lepkojuma dziļums	441 mm
Baterija		lepkojuma augstums	190 mm
		lepkojuma svārs	5 kg
Akumulatora darbības laiks (maks.)	5 gads(i)	Logistiskie dati	
Baterijas uzlādes laiks	16 h	Harmonizētās sistēmas (HS) kods	85078000



0731304347279



731304347279

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.