

Chieftec GPS-650A8 barošanas avotu vienība 650 W 20+4 pin ATX PS/2 Mels

Zīmols : Chieftec

Preces kods: GPS-650A8

Modeļa nosaukums : GPS-650A8

Chieftec GPS-650A8. Kopējā jauda: 650 W, Maiņstrāvas ievades spriegums: 220 - 240 V, Maiņstrāvas ievades frekvence: 47 - 63 Hz. Mātesplates strāvas konektors: 20+4 pin ATX, SATA strāvas kabeļa garums: 150,500 mm, PCI Express strāvas kabeļa garums: 50 cm. Mērķis, rezultāts: PC (dators), Strāvas padeves bloka (PSU) formas faktors: PS/2, 80 PLUS sertifikācija: 80 PLUS Bronze. Produkta krāsa: Mels, Dzesēšanas tips: Aktīvs, Ventilatora diametrs: 12 cm. Pievienoti kabeli: AC, PCIe, Peripheral (Molex), SATA



Energijas pārvaldība		Savienojamība	
Kopējā jauda *	650 W	EPS barošanas savienotājs (8-pin)	✓
Maiņstrāvas ievades spriegums *	220 - 240 V	PCI Express strāvas konektors (6+2 tapu)	2
Maiņstrāvas ievades frekvence	47 - 63 Hz	PCI Express strāvas kabeļa garums	50 cm
Ieejas strāva	5 A	Diskešu diskdziņa strāvas konektors	1
Jaudas koeficients	0,9	Disketes diskierīces savienotājs	✓
Strāvas faktora korekcija (PFC) veids	Aktīvs	PCI Express savienotājs	✓
Kopējā strāva (+3,3V)	120 W	Kabeļu tips	Nemodulārs
Kopējā strāva (+12V)	600 W	Darbības rādītāji	
Kopējā strāva (+5V)	120 W	80 PLUS sertifikācija *	80 PLUS Bronze
Kopējā strāva (-12V)	3,6 W	Atbalstāmie mātesplates formas faktori	ATX
Kopējā strāva (+5Vsb)	12,5 W	Mērķis, rezultāts *	PC (dators)
Maksimālā izvades strāva (+3.3V)	20 A	Strāvas padeves bloka (PSU) formas faktors *	PS/2
Maksimālā izvades strāva (+12V1)	50 A	ATX versija	2.3
Maksimālā izvades strāva (+5V)	20 A	Dizains	
Maksimālā izvades strāva (-12V)	0,3 A	Produkta krāsa	Mels
Maksimālā izvades strāva (+5Vsb)	2,5 A	Dzesēšanas tips	Aktīvs
Efektivitāte	85%	Ventilatora diametrs	12 cm
Jaudas aizsardzības apraksts	Pārslodze, Pārspriegums, Īssavienojums, Zem sprieguma	Ventilatoru skaits	1 ventilators/ ventilatori
Savienojamība		Integrēts on/off slēdzis	✓
Mātesplates strāvas konektors *	20+4 pin ATX	Iepakojuma saturs	
SATA strāvas savienotāju skaits	6	Pievienoti kabeli	AC, PCIe, Peripheral (Molex), SATA
SATA strāvas kabeļa garums	150,500 mm	Sertifikāti	
Perifērās (Molex) strāvas savienotāji (4-pin) *	2	Sertifikācija	CE, CB, EAC, ErP, RoHS, interseroh, TÜV
		Svars&dimensijas	
		Platums	140 mm
		Dziļums	150 mm
		Augstums	87 mm

Informācija par iepakojumu

iepakošanas tips	Kaste
------------------	-------



4710713239562

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.