

Samsung LS32BG850NP computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : Samsung

Product family: Odyssey

Product code:
LS32BG850NPXXU


Product name : LS32BG850NP



- Screen: 3840x2160 resolution, 1000R curve VA panel
 - Technology: 240Hz Refresh Rate, 1ms GTG response time, Quantum HDR 2000, Mini LED
 - Connections: HDMI, Display Port, Headphone
 - Great for: Competitive Gaming, Productivity & Streaming
 32", 3840 x 2160, 350cd/m², 1000R, Display Port / HDMI, 2x USB 3, VESA 100x100
 Samsung LS32BG850NP. Display diagonal: 81.3 cm (32"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Display surface: Matt, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display		Ergonomics	
Display diagonal *	81.3 cm (32")	Wall mountable	✓
Display resolution *	3840 x 2160 pixels	Cable lock slot *	✗
HD type *	4K Ultra HD	Height adjustment *	✓
Native aspect ratio *	16:9	Adjustable height (max)	12 cm
Display technology *	LCD	Pivot	✓
Panel type *	VA	Pivot angle	-92 - 92°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	350 cd/m²	Swivel angle range	-15 - 15°
Display brightness (min)	300 cd/m²	Tilt adjustment	✓
Response time *	1 ms	Tilt angle range	-9 - 13°
Response time measurement type	GTG (Gray to Gray)	Picture-in-Picture	✓
Display surface	Matt	Black eQualizer function	✓
Screen shape *	Curved	Power	
Screen curvature rating	1000R	Energy efficiency class (SDR) *	G
Aspect ratio	16:9	Energy efficiency class (HDR) *	G
Contrast ratio (typical) *	1000000:1	Energy consumption (SDR) per 1000 hours *	33 kWh
Dynamic contrast ratio marketing name	Mega DCR	Energy consumption (HDR) per 1000 hours *	104 kWh
Maximum refresh rate *	240 Hz	Power consumption (typical) *	33.2 W
Refresh rate optimizor	✓	Power consumption (standby) *	0.5 W
Viewing angle, horizontal	178°	Power consumption (max)	140 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	1 billion colours	AC input voltage	100 - 240 V
Viewable size, horizontal	69.7 cm	Power supply type	External
Viewable size, vertical	39.2 cm	Annual energy consumption	48 kWh
High Dynamic Range (HDR) supported	✓	Operational conditions	
High Dynamic Range (HDR) technology	Quantum HDR 2000	Operating temperature (T-T)	10 - 40 °C
Colour gamut standard	DCI-P3	Operating relative humidity (H-H)	10 - 80%
Colour gamut	95%	Non-operating relative humidity (non-condensing)	10 - 80%
DCI-P3 coverage	95%	Weight & dimensions	
Quantum dot color technology	✓	Width (with stand)	713 mm
Performance		Depth (with stand)	311.1 mm
NVIDIA G-SYNC *	✗		

Performance		Weight & dimensions	
AMD FreeSync *	✓	Height (with stand)	606.4 mm
AMD FreeSync type	FreeSync Premium Pro	Weight (with stand)	8.9 kg
Flicker-free technology	✓	Width (without stand)	713 mm
Game mode	✓	Depth (without stand)	173 mm
Game features	Super Arena Gaming UX	Height (without stand)	434.8 mm
Smart modes	Sports, Dynamic, Cinema, Custom, FPS, RPG, RTS	Weight (without stand)	7 kg
Multimedia		Packaging data	
Built-in speaker(s) *	✗	Package width	827 mm
Built-in camera *	✗	Package depth	530 mm
Design		Package height	236 mm
Market positioning *	Gaming	Package weight	12.2 kg
Product colour *	Black	Package type	Box
Feet colour	Black	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✓	Cables included	DisplayPort
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Power adapter included	✓
USB Type-A downstream ports quantity	2	Power cable length	1.5 m
HDMI *	✓	Other features	
HDMI ports quantity	2	Brand specific technologies	Eye Saver, Black Equalizer, Ultrawide GameView, Core Sync
HDMI version	2.1	Low input lag	✓
DisplayPorts quantity	1	Local dimming	✓
DisplayPort version	1.4	Local dimming zones	1196
Audio input	✗	Eco Light Sensor	✓
Headphone out *	✓	Adaptive picture	✓
HDCP	✓	Off Timer Plus	✓
HDCP version	2.2	Virtual AIM point	✓
Ergonomics		Auto source switch+	✓
VESA mounting *	✓	Supplied AC adapter type	AC
Panel mounting interface	100 x 100 mm	Certification	Windows 10



8806094796599

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.