

Chieftec EON barošanas avotu vienība 600 W 20+4 pin ATX ATX Melns

Zīmols : Chieftec

Preču ģimene: EON

Preces kods: ZPU-600S

Modeļa nosaukums : EON

Chieftec EON . Kopējā jauda: 600 W, Maiņstrāvas ievades spriegums: 200 - 240 V, Maiņstrāvas ievades frekvence: 50 Hz. Mātesplates strāvas konektors: 20+4 pin ATX, Mātesplates barošanas vada garums: 65 cm, SATA strāvas kabeļa garums: 450,600,750 mm. Mērķis, rezultāts: PC/serveris, Strāvas padeves bloka (PSU) formas faktors: ATX, 80 PLUS sertifikācija: 80 PLUS. Produkta krāsa: Melns, Ventilatora diametrs: 12 cm. Platums: 150 mm, Dziļums: 140 mm, Augstums: 86 mm



Energijas pārvaldība		Savienojamība	
Kopējā jauda *	600 W	SATA strāvas kabeļa garums	450,600,750 mm
Maiņstrāvas ievades spriegums *	200 - 240 V	Periferālā (Molex) strāvas kabeļa garums	450,600,750 mm
Maiņstrāvas ievades frekvence	50 Hz	EPS barošanas konektors (4+4 kontakti)	✓
Ieejas strāva	4.5 A	PCI Express strāvas konektors (6+2 tapu)	2
Maksimālā ieejas strāva (@ 220V)	4,5 A	CPU barošanas savienotājs (4 + 4 pin)	✓
Jaudas koeficients	0,9	ATX barošanas savienotājs (20 + 4 pin)	✓
Strāvas faktora korekcija (PFC) veids	Aktīvs	Kabeļu tips	Nemodulārs
Kopējā strāva (-12V)	4,8 W	Darbības rādītāji	
Kopējā strāva (+5Vsb)	12,5 W	80 PLUS sertifikācija *	80 PLUS
Maksimālā izvades strāva (+3.3V)	20 A	Atbalstāmie mātesplates formas faktori	ATX
Maksimālā izvades strāva (+12V1)	45 A	Mērķis, rezultāts *	PC/serveris
Maksimālā izvades strāva (+5V)	20 A	Strāvas padeves bloka (PSU) formas faktors *	ATX
Maksimālā izvades strāva (-12V)	0,4 A	ATX versija	2.3
Maksimālā izvades strāva (+5Vsb)	2,5 A	Dizains	
Jaudas aizsardzības apraksts	Īssavienojums, Pārspriegums un strāvas izsitieni, Pārsprieguma aizsardzība	Produkta krāsa	Melns
Savienojamība		Ventilatora diametrs	12 cm
Mātesplates strāvas konektors *	20+4 pin ATX	Integrēts on/off slēdzis	✓
Mātesplates barošanas vada garums	65 cm	Svars&dimensijas	
SATA strāvas savienotāju skaits	4	Platums	150 mm
		Dziļums	140 mm
		Augstums	86 mm
		Svars	1,34 kg

Logistiskie dati

Garantijas periods

2 gads(i)



0753263078438



753263078438

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.