

iiyama ProLite XUB2790QSUH-B2 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : iiyama

Product family: ProLite

Product code: XUB2790QSUH-B2

Product name :
XUB2790QSUH-B2

27" IPS QHD monitor with a built-in Windows Hello camera and microphone, USB-C, KVM-Switch and height adjustable stand

iiyama ProLite XUB2790QSUH-B2 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black:

Ideal for hybrid work and video calls, the 27" ProLite XUB2790QSUH combines sharp QHD resolution and IPS colour accuracy with built-in collaboration tools. The integrated 5MP Windows Hello webcam and microphone make secure logins and virtual meetings effortless. With USB-C (65W PD), HDMI, DisplayPort and a KVM switch, it streamlines multi-device setups while powering your laptop. Flicker-free and blue light reducing technology protect your eyes during long sessions. The ergonomic stand with height, pivot, swivel and tilt ensures all-day comfort. A USB hub, speakers and headphone jack round out this versatile workspace solution.



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDCP	✓
Display resolution *	2560 x 1440 pixels	Ergonomics	
HD type *	Quad HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Cable management	✓
Panel type *	IPS	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	250 cd/m ²	Height adjustment *	✓
Response time *	0.4 ms	Adjustable height (max)	15 cm
Response time (MPRT)	0.4 ms	Pivot	✓
Display surface	Matt	Pivot angle	0 - 90°
Screen shape *	Flat	Swivelling	✓
Contrast ratio (typical) *	1300:1	Swivel angle range	-60 - 60°
Contrast ratio (dynamic)	80000000:1	Tilt adjustment	✓
Maximum refresh rate *	100 Hz	Tilt angle range	-5 - 23°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Portuguese, Russian
Display number of colours *	16.7 million colours	Number of OSD languages	11
Pixel pitch	0.233 x 0.233 mm	Power	
Horizontal scan range	30 - 147 kHz	Energy efficiency class (SDR) *	E
Viewable size, horizontal	59.7 cm	Energy efficiency class (HDR) *	Not available
Viewable size, vertical	33.6 cm	Energy consumption (SDR) per 1000 hours *	21.4 kWh
Digital horizontal frequency	30 - 147 kHz	Power consumption (typical) *	26 W
Display diagonal (metric)	68.5 cm	Power consumption (standby) *	0.4 W
DDC/CI	✓	Power consumption (off)	0.3 W
sRGB coverage (typical)	99%	AC input voltage	100 - 240 V
NTSC coverage (typical)	72%		
Performance			
AMD FreeSync *	✓		

Performance		Power	
VESA Adaptive Sync support	✓	AC input frequency	50/60 Hz
Flicker-free technology	✓	Power supply type	Internal
Low Blue Light technology	✓	Energy efficiency scale	A to G
Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	613 mm
RMS rated power	4 W	Depth (with stand)	209.5 mm
Built-in speaker(s) *	✓	Height (with stand)	564.5 mm
Megapixel (approx.)	5 MP	Weight (with stand)	6.4 kg
Built-in microphone	✓	Height (without stand)	414.5 mm
Built-in camera *	✓	Packaging data	
Design		Package width	690 mm
Market positioning *	Business	Package depth	168 mm
Product colour *	Black	Package height	457 mm
Frameless design	✓	Package weight	8.2 kg
Feet colour	Black	Package type	Box
Ports & interfaces		USB cable length	1.8 m
Built-in USB hub *	✓	Packaging content	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Stand included	✓
USB upstream port type	USB Type-C	Cables included	AC, USB, HDMI, DisplayPort
Number of upstream ports	1	Quick start guide	✓
Number of downstream ports	3	DisplayPort cable length	1.8 m
Number of USB Type-C upstream ports quantity	1	HDMI cable length	1.8 m
USB Type-A downstream ports quantity	2	Power cable length	1.8 m
USB Type-C DisplayPort Alternate Mode	✓	Sustainability	
USB Power Delivery (USB PD)	✓	Sustainability certificates	ErP, TCO
USB Power Delivery up to	65 W	Other features	
HDMI *	✓	Brand specific technologies	Six Axis Control
HDMI ports quantity	1	User controls	picture adjust (contrast, brightness, i-Style colour, ACR, Eco, OD, X-Res technology), image settings (blue light reducer, sharp and soft, video mode adjust), colour settings (gamma, 6-axis, colour temp.), audio settings (volume, mute), OSD settings (H. position, V. position, OSD time, OSD rotate, language), extra 1 (MBR, Adaptive Sync, USB-C, KVM, USB BC), extra 2 (reset, DDC/CI, signal select, HDMI range, opening logo, LED, information)
HDMI version	2.0		
DisplayPorts quantity	1		
DisplayPort version	1.4		
Headphone out *	✓	Packaging content	quick start guide, safety guide
Headphone outputs	1	Weight	6.4 kg
Built-in KVM switch	✓	Width	613 mm
		Depth	209.5 mm
		Control panel	Signal Select/ Exit (Input), + / Volume, - / Eco, Menu, Power
		Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
		Technical details	
		Native refresh rate	60 Hz



4948570125524

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.