

Tefal Express Vision SV8151 2800 W 1,8 L Durilium AirGlide Autoclean soleplate Синий, Черный

Производитель : Tefal Семейство продуктов: Express Vision Код товара: SV8151E0
Модель : SV8151

Tefal Express Vision SV8151. Потребляемая мощность утюга: 2800 W, Производительность парового напора: 500 г/мин, Тип рабочей поверхности: Durilium AirGlide Autoclean soleplate. Длина шнура: 1,6 m, Длина шланга: 1,8 m. Ширина: 210 mm, Глубина: 360 mm, Высота: 260 mm. Количество продуктов в одном ряду: 8 шт, Количество в упаковке: 1 шт, Количество слоев в палете: 3 шт. Мощность: 2800 W, Страна производства: Франция



Свойства		Свойства	
Потребляемая мощность утюга *	2800 W	Заправка в любой момент	✓
Максимальное паровое давление *	7 бар	Давление пара	7 бар
Емкость водного резервуара *	1,8 L	Видимый уровень воды	✓
Съемный резервуар для воды	✓	Запирание	✓
Тип контроля пара/температуры	Автоматический, Руководство	Энергопитание	
Функция парового удара	✓	Режим энергосбережения	✓
Концентрированный выброс пара в носике подошвы	✓	Энергосбережение	✓
Производительность парового напора *	500 г/мин	Эргономика	
Время нагрева	2 min	Ручка для переноски	✓
Время нагрева	120 s	Длина шнура	1,6 m
Постоянная подача пара *	130 г/мин	Хранение шнура	✓
Функция вертикального пара	✓	Длина шланга	1,8 m
Непрерывное наполнение	✓	Индикация	
Размер отверстия для наполнения	Большой	Индикатор накипи	✓
Тип рабочей поверхности *	Durilium AirGlide Autoclean soleplate	Вес и размеры	
Цвет товара *	Синий, Черный	Ширина	210 mm
Самоочистка	✓	Глубина	360 mm
Автоматическое удаление накипи *	✗	Высота	260 mm
Функция очистки от накипи	✓	Вес	3,34 kg
Коллектор сбора накипи	✓	Вес утюга	1,22 kg
Съемный коллектор сбора накипи	✓	Логистические данные	
ECO режим	✓	Количество продуктов в одном ряду	8 шт
Система против накипи	✓	Количество в упаковке	1 шт
Вкл/Выкл переключатель	✓	Количество слоев в палете	3 шт
Рабочее давление	7 бар	Количество в паллете	24 шт
		Прочие свойства	
		Мощность	2800 W

Свойства		Прочие свойства	
Заостренный носик	✓	Страна производства	Франция
Паровой носик Steam Tip для труднодоступных мест	✓	Данные об упаковке	
		Ширина упаковки	285 mm
		Глубина упаковки	400 mm
		Высота упаковки	310 mm
		Масса брутто	3,91 kg
		Тип упаковки	Box



3121040086414

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.