



DELL Pro QVS1260 Intel® Core™ i5 i5-14500 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro Slim PC PC Black

Brand : DELL

Product family: Pro

Product code:
BTO004B_QVS1260_EMEA_NOKB

Product name : QVS1260

DELL Pro QVS1260. Processor family: Intel® Core™ i5, Processor model: i5-14500. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 512 GB, Storage media: SSD. On-board graphics card model: Intel UHD Graphics 770. Wi-Fi. Operating system installed: Windows 11 Pro, Operating system architecture: 64-bit. Power supply: 180 W. Chassis type: Slim PC. Product type: PC. Product colour: Black



Processor		Ports & interfaces	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1
Processor family *	Intel® Core™ i5	DisplayPorts quantity	1
Processor generation	Intel® Core™ i5 (14th gen)	DisplayPort version	1.4
Processor model *	i5-14500	HDMI ports quantity *	1
Processor cores	14	HDMI version	2.1
Processor threads	20	Ethernet LAN (RJ-45) ports	1
Processor boost frequency	5 GHz	Combo headphone/mic port	✓
Performance cores	6	Number of rear USB ports	4
Efficient cores	8	Number of front USB ports	4
Performance-core Max Turbo Frequency	5 GHz	Number of SATA III connectors	1
Efficient-core Max Turbo Frequency	3.7 GHz	Expansion slots	
Performance-core base frequency	2.6 GHz	PCI Express x1 slots	3
Efficient-core base frequency	1.9 GHz	PCI Express x16 slots	1
Processor cache	24 MB	Power	
Processor cache type	Smart Cache	Power supply *	180 W
Number of processors installed	1	Power supply input voltage	90 - 264 V
Processor base power	65 W	Power supply input frequency	47 - 63 Hz
Maximum turbo power	154 W	80 PLUS certification	80 PLUS Bronze
Memory		Design	
Internal memory *	16 GB	Chassis type *	Slim PC
Maximum internal memory *	32 GB	Cable lock slot	✓
Internal memory type	DDR5-SDRAM	Cable lock slot type	Kensington
Memory layout (slots x size)	1 x 16 GB		

Memory		Design	
Memory slots	2x DIMM	Product colour *	Black
Buffered memory type	Unregistered (unbuffered)	Intel® vPro™ Platform Eligibility	✓
Memory data transfer rate	4800 MT/s	Software	
Storage		Operating system architecture	64-bit
Total storage capacity *	512 GB	Operating system installed *	Windows 11 Pro
Storage media *	SSD	McAfee® Business Protection 1-year, Activate Your Microsoft 365 For A 30 Day Trial	
Optical drive type *	✗	Trial software	
Total SSDs capacity	512 GB	Display	
Number of SSDs installed	1	Display included *	✗
SSD capacity	512 GB	Audio	
Graphics		Audio chip	Realtek ALC3204
Discrete graphics card *	✗	Audio system	High Definition Audio
On-board graphics card *	✓	Operational conditions	
Discrete graphics card model *	Not available	Operating temperature (T-T)	10 - 35 °C
On-board GPU manufacturer	Intel	Storage temperature (T-T)	-40 - 65 °C
On-board graphics card family	Intel® UHD Graphics	Operating relative humidity (H-H)	20 - 80%
On-board graphics card model *	Intel UHD Graphics 770	Storage relative humidity (H-H)	5 - 95%
Performance		Operating altitude	-15.2 - 3048 m
Motherboard chipset	Intel Q670	Non-operating altitude	-15.2 - 10668 m
Trusted Platform Module (TPM)	✓	Operating vibration	0.26 G
Product type *	PC	Non-operating vibration	1.37 G
Trusted Platform Module (TPM) version	2.0	Operating shock	40 G
Network		Non-operating shock	105 G
Ethernet LAN *	✓	Weight & dimensions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Width *	95 mm
Cabling technology	10/100/1000Base-T(X)	Depth *	293 mm
LAN controller	Realtek RTL8111KD	Height *	303.5 mm
Wi-Fi *	✓	Packaging content	
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)	Keyboard included	✗
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac),	Cables included	AC
	802.11b, Wi-Fi 6 (802.11ax),	Box contents	System Power Cord C13
	802.11g, Wi-Fi 4 (802.11n)	Carbon footprint	
WLAN controller manufacturer	MediaTek	Total carbon footprint (kg of CO2e)	143
WLAN controller model	MediaTek MT7920	Carbon emissions, manufacturing (kg of CO2e)	68.07
Antenna type	2x2	Carbon emissions, logistics (kg of CO2e)	9.15
Bluetooth	✓	Carbon emissions, energy usage (kg of CO2e)	62.78
MU-MIMO	✓	Carbon emissions, end-of-life (kg of CO2e)	3
Ports & interfaces		PAIA version	GaBi version 1, 2025
USB 2.0 ports quantity *	4		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.