

Epson WorkForce Pro WF-4820DWF

Brand : Epson

Product family: WorkForce Pro **Product code:** C11CJ06403

Product name : WorkForce Pro
WF-4820DWF

- A4 multifunction printer for business quality documents: High quality print, copy, scan and fax in one machine, plus 35-page ADF
 - Wireless connectivity lets you print from anywhere: Print and scan easily from your smartphone or tablet using the Epson iPrint app, for high-quality document printing*
 - Save money by only replacing the colour used: With Epson's genuine individual inks
 - Money and paper saving double-sided printing: Automatically print on both sides to reduce paper usage and save money
 - Enjoy hassle-free ink replacements, delivered to your door, before you run out!: First 6 months free ReadyPrint Flex ink subscription* with code FLEX6
- Print, Scan, Copy, Fax, PrecisionCore Print Head, A4, 25ppm/12ppm, Ethernet, Wi-Fi, 10.2 kg



Printing		Performance	
Print technology *	Inkjet	Card reader integrated	✗
Printing *	Colour printing	Design	
Duplex printing *	✓	Product colour *	Black
Maximum resolution *	4800 x 2400 DPI	Market positioning *	Home & office
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Built-in display *	✓
Print speed (colour, normal quality, A4/US Letter)	12 ppm	Display	LCD
Print speed (ISO/IEC 24734) black	25 ppm	Display diagonal	10.9 cm (4.29")
Print speed (ISO/IEC 24734) colour	12 ppm	Touchscreen	✓
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm	Control type	Touch
Duplex print speed (colour, normal quality, A4/US Letter)	9 ppm	Colour display	✓
Duplex print speed (ISO/IEC 24734, A4) black	16 ppm	Power	
Duplex print speed (ISO/IEC 24734, A4) colour	9 ppm	Power consumption (copying)	18 W
Scanning		Power consumption (ready)	7 W
Scanning *	Colour scanning	Power consumption (off)	0.2 W
Optical scanning resolution *	1200 x 2400 DPI	AC input voltage	100 - 240 V
Optical scanning resolution (ADF)	600 x 600 DPI	System requirements	
Scan technology	CIS	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
Scan to	Cloud	Mac operating systems supported	✓
Image formats supported	BMP, JPEG, TIFF, MTIFF, PNG	Weight & dimensions	
Document formats supported	PDF	Width	425 mm
Linear scan speed (metric)	5 sec/page (Monochrome, 200 dpi, Flatbed); 11 sec/page (Colour, 200 dpi, Flatbed); 12 sec/page (Monochrome, 200 dpi, ADF); 8 sec/page (Colour, 200 dpi, ADF);	Depth	389 mm
		Height	265 mm
		Weight	10.2 kg

Fax		Packaging data		
Faxing *	Colour faxing	Package width	435 mm	
Fax transmission speed	3 sec/page	Package depth	480 mm	
Modem speed	33.6 Kbit/s	Package height	350 mm	
Fax memory	180 pages	Package weight	12.3 kg	
Auto-redialing	✓	Quantity per pack	1 pc(s)	
Fax speed dialing (max numbers)	100	Packaging content		
Fax forwarding	✓	Cartridge(s) included	✓	
Error Correction Mode (ECM)	✓	Cables included	AC	
Features		Drivers included	✓	
Recommended duty cycle	200 - 1500 pages per month	Warranty card	✓	
Maximum duty cycle *	33000 pages per month	Logistics data		
Number of print cartridges *	4	Harmonized System (HS) code	84433100	
Printing colours *	Yellow, Magenta, Cyan, Black	Pallet gross weight	0 g	
Country of origin	Indonesia	Products per pallet layer	2 pc(s)	
Input & output capacity		Products per pallet	12 pc(s)	
Total number of input trays *	1	Pallet weight (UK)	0 g	
Total output capacity *	80 sheets	Products per pallet layer (UK)	4 pc(s)	
Auto document feeder (ADF)	✓	Products per pallet (UK)	24 pc(s)	
Auto document feeder (ADF) input capacity	35 sheets	Technical details		
Maximum input capacity	250 sheets	Box contents	Driver and utilities, Individual Ink Cartridges, Main unit, Power cable, Quick Start Guide, Warranty document	
Paper handling			Safety warning	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
Maximum ISO A-series paper size *	A4	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.		
Paper tray media types *	Envelopes	Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.		
ISO A-series sizes (A0...A9) *	A4, A5, A6	Always follow the information on the product label.		
Non-ISO print media sizes	Legal, Letter	Other features		
Envelopes sizes	10, C6, DL	Printing method	Epson PrecisionCore	
Photo paper sizes	10x15,13x18 cm	Number of users	5 user(s)	
Paper tray media weight	64 - 90 g/m²	Colour printing technology	DURABrite™ Ultra	
Ports & interfaces		Compatible operating systems	Mac OS X 10.11.x, Mac OS X 10.11.x or later, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8.1, Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit)	
USB port	✓		Ink drop	3.8 pl
Network			Print head nozzles	800 Nozzles Black, 256 Nozzles per Color
Wi-Fi *	✓		Printer features	Touchscreen
Ethernet LAN *	✗		All-in-one functions	Scan, Copy, Fax, Print
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Interface	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB host	
Security algorithms	64-bit WEP, 128-bit WEP		Supported network protocols	IPv4, IPv6
Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTp, SLP, WSD, LLTD, Ping			
Network printing methods	IPP, LDP, Port 9100, WSD			
Mobile printing technologies	Apple AirPrint, Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Mopria Print Service			

Other features

Print speed	36 pages/min Monochrome (plain paper 75 g/m ²), 22 pages/min Colour (plain paper 75 g/m ²)
-------------	--



8715946679747

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.