


iivama LH5065UHSB-B1AG ceļrāžu displejs Plakans digitālā displeja panelis 125,7 cm (49.5") LCD Wi-Fi 800 cd/m² 4K Ultra HD Melns leibūvētais procesors Android 11 24/7

Zīmols : iivama

Preces kods: LH5065UHSB-B1AG

Modeļa nosaukums : LH5065UHSB-B1AG

iivama LH5065UHSB-B1AG. Produkta dizains: Plakans digitālā displeja panelis. Displeja diagonāle: 125,7 cm (49.5"), Ekrāna tehnoloģija: LCD, Ekrāna izšķirtspēja: 3840 x 2160 pikseli, Ekrāna spilgtums: 800 cd/m², HD veids: 4K Ultra HD. Wi-Fi. Eksploatācijas ilgums (stundas/dienas): 24/7. Nodrošināta operētājsistēma: Android 11. Produkta krāsa: Melns



Displejs		Energijas pārvaldība	
Paneļa veids	VA	Energija patēriņš *	65 W
Displeja diagonāle *	125,7 cm (49.5")	Jaudas patēriņš (standby) *	0,4 W
Ekrāna tehnoloģija *	LCD	Jaudas patēriņš (off)	0,3 W
Ekrāna izšķirtspēja *	3840 x 2160 pikseli	Energoefektivitātes klase (SDR)	E
Ekrāna spilgtums *	800 cd/m²	Energoefektivitātes klase (HDR)	Nav pieejams
HD veids *	4K Ultra HD	Energoefektivitātes klase (SDR) 1000 stundās	64,7 kWh
Skārienjūtīgais ekrāns *	✗	Maiņstrāvas ievades spriegums	100 - 240 V
Projektorā formātu attiecība	16:9	Maiņstrāvas ievades frekvence	50/60 Hz
Atbildes laiks	9,5 ms	Energoefektivitātes skala	A līdz G
Kontrasta attiecība (tipiskā)	5000:1	Datorsistēma	
Skata leņķis, horizontāli	178°	Datorsistēma *	✓
Skata leņķis, vertikāli	178°	leibūvētais procesors *	✓
Displeja krāsu skaits	1,07 miljardi krāsu	Procesora ražotājs	ARM
Pikseļa iestatne	0,285 x 0,285 mm	Procesora tips	ARM Cortex
Aktīvais displeja laukums (P x A)	1096 x 616,5 mm	Procesora arhitektūra	ARM Cortex-A73
Displeja diagonāle (metriskajā sistēmā)	125,7 cm	Multikodola tips	8
Horizontālās izvēršanas amplitūda	28 - 160 kHz	Iekšējā atmiņa	4 GB
Atsvaidzes intensitāte	60 Hz	Integrēts grafikas adaptera modelis	ARM Mali-G52
Dūmakas līmenis	25%	Iekšējās glabātuves ietilpība	32 GB
RGB krāsu telpa	NTSC	Nodrošināta operētājsistēma	Android 11
Savienojamība		Svars&dimensijas	
HDMI pieslēgvietu skaits *	2	Displeja platums	1127,6 mm
HDMI versija	2.0	Ekrāna dziļums	55 mm
DisplayPorts daudzums *	1	Ekrāna augstums	643,5 mm
DisplayPort versija	1.2	Ekrāna svars	11,3 kg
USB pieslēgvietā *	✓	Platums	1127,6 mm
USB pieslēgvietu skaits	2	Dziļums	55 mm
USB versija	2.0	Augstums	643,5 mm
Ethernet LAN (RJ-45) pieslēgvietu skaits	1	Svars	11,3 kg
Audio (L, K) ievade	1	Informācija par iepakojumu	
RS-232 interfeiss	✓	Iepakojuma platums	1370 mm

Savienojamība		Informācija par iepakojumu	
RS-232C	✓	Iepakojuma dziļums	156 mm
Audio		Iepakojuma augstums	850 mm
		Iepakojuma svars	14,8 kg
		Iepakojuma saturs	
Iebūvēti skaļruņi *	✓	Tālvadības pults	✓
Iebūvēto skaļruņu skaits	2	Pievienoti kabeli	AC, HDMI, RS-232
RMS nominālā jauda	20 W	Ārējās vides apstākļi	
Dizains		Darbības temperatūras amplitūda (T-T)	0 - 40 °C
		Darbības relatīvā mitruma amplitūda	-20 - 60%
		Uzglabāšanas temperatūras amplitūda (T-T)	-20 - 60 °C
		Sertifikāti	
		Sertifikācija	CE, TÜV-Bauart, RoHS support, ErP, WEEE, REACH, UKCA
		Tiklošana	
		Ethernet/LAN savienojums *	✓
		Wi-Fi *	✓
		Wi-Fi standartu	Wi-Fi 5 (802.11ac)
		Tehniskā informācija	
Darbības rādītāji		Atskaņošanas starpnieks	✓
		Lietotāja kontrolierīce	picture (brightness, contrast, sharpness, black level, tint, colour, noise reduction, gamma selection, low blue light, colour temperature, colour control, picture reset), screen (zoom mode, custom zoom, screen reset), audio (balance, treble, bass, volume, audio out, maximum volume, minimum volume, mute, audio reset, audio out sync, speaker setting), configuration 1 (Android launcher, switch on state, panel saving, RS232-routing, boot on source, WOL, configuration 1 reset, factory reset), configuration 2 (OSD timeout, OSD H-Position, OSD V-position, system rotation, information OSD, logo and animation, logo setting, animation setting, monitor ID, monitor information, HDMI version, configuration 2 reset), advanced option (no signal image, IR control, power LED light, off timer, schedule, HDMI with one wire, HDMI with one wire power off, FailOver, language, OSD transparency, power saving, auto power off, advanced option reset)
	Mērķis, rezultāts *		
	On Screen Display (OSD)		
	On Screen Display (OSD) valodas		
	Ekspluatācijas ilgums (stundas/dienas)		
	HDCP		
	HDCP versija		
	Vidējais laiks starp kļūmēm (MTBF)		
		Ilgspējas sertifikāti	ErP
		Atbilstības sertifikāti	CE, REACH, RoHS, TÜV mark, UKCA, WEEE
Papildus informācija			
		Ātrās startēšanas gids	✓
		Barošanas avota tips	Iekšējs



4948570123568

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.