



ARCTIC Liquid Freezer III Pro 280 A-RGB (White) Procesors Universāls šķidruma dzesētājs 12 cm Balts 1 pcs



Zīmols : ARCTIC

Preču ģimene: Liquid Freezer

Preces kods: ACFRE00187A

Modeļa nosaukums : Liquid
Freezer III Pro 280 A-RGB
(White)

ARCTIC Liquid Freezer III Pro 280 A-RGB (White). Tips: Universāls šķidruma dzesētājs, Ventilatora diametrs: 12 cm, Gaisa plūsma: 186 m³/h, Gultņa veids: Hidrodinamiskais gultnis (FDB). Platums: 138 mm, Dziļums: 317 mm, Augstums: 68 mm. Produkta krāsa: Balts

Darbības rādītāji		Dizains	
Piemērots istabām *	Procesors	LED savienotāja tips	3 pini
Tips *	Universāls šķidruma dzesētājs	Ventilatora savienotājs	4 pinu
Ventilatora diametrs	12 cm	Ekrāna veids	Nav piemērojams
Atbalstītās procesoru ligzdas	LGA 1851, LGA 1700, Ligzda AM4, AM5 pieslēgvietā	Energijas pārvaldība	
Maksimālā gaisa plūsma	110 kubikpēdas minūtē	LED spriegums	5 V
Gaisa plūsma	186 m³/h	Sūkņa spriegums	12 V
Pulsa platuma modulācijas (PWM) atbalsts	✓	Sūkņa strāva	350 mA
Gultņa veids	Hidrodinamiskais gultnis (FDB)	Ventilatora spriegums	12 V
Sūkņa konektors	4 pinu	Ventilatora strāva	0,35 A
Skaitis iepakojumā	1 pcs	Svars&dimensijas	
Sūkņa motora apgriezienu skaits (min)	800 RPM	Platums	138 mm
Sūkņa motora apgriezienu skaits (max)	2800 RPM	Dziļums	317 mm
Ventilatora ātrums (min)	400 RPM	Augstums	68 mm
Ventilatora ātrums (max)	2500 RPM	Radiatoru platums	13,8 cm
Statisks ventilatora spiediens	5,2 ūdens staba milimetrs	Radiatoru dziļums	31,7 cm
VRM ventilatora apgriezieni (min.)	400 RPM	Radiatoru augstums	3,8 cm
VRM ventilatora apgriezieni (maks.)	2500 RPM	Caurules garums	45 cm
Darbības temperatūras amplitūda (T-T)	0 - 40 °C	Vannas diametrs	1,24 cm
Dizains		Caurules iekšējais diametrs	6 mm
Produkta krāsa *	Balts	Sūkņa platums	9,1 cm
Radiatora materiāli	Alumīnijs	Sūkņa garums	10,8 cm
Pamata plāksnes materiāls	Varš	Sūkņa augstums	6,85 cm
Ventilatoru skaits	2 ventilators/ ventilatori	Svars	1,9 kg
Ventilatora lāpstiņu skaits	9	Ventilatora izmēri (P x D x A)	140 x 140 x 27 mm
LED apgaismojums	✓	Kabeļa garums	0,04 m
Gaismas krāsa	Multi	Iepakojuma platums	170 mm
		Iepakojuma dziļums	335 mm
		Iepakojuma augstums	155 mm
		Iepakojuma svars	2,31 kg
		Iepakojuma saturs	
		Iepakojuma tips	Kaste

Papildus informācija

Izcelsmes valsts

Honkonga



4895265000331

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.