



## TP-Link Omada ER7206 ar vadiem pievienojams rūteris Tīkls Gigabit Ethernet Mēlns

**Zīmols :** TP-Link

**Preču ģimene:** Omada

**Preces kods:** ER7206

**Modeļa nosaukums :** ER7206



TP-Link Omada ER7206. Tīkla standarts: IEEE 802.3, IEEE 802.3ab, IEEE 802.3q, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z, Ethernet interfeisa tips: Tīkls Gigabit Ethernet, Kabeļa likšanas tehnoloģija: 10/100/1000Base-T(X). USB versija: 3.2 Gen 1 (3.1 Gen 1). Drošības algoritma atbalstīts: SNMP, SNMPv2, SNMPv3. Zibatmiņa: 128 MB, Iekšējā atmiņa: 512 MB, Iekšējās atmiņas tips: DDR4. Produkta krāsa: Mēlns



| WAN savienojums                            |                                                                              | Protokoli                                 |                      |
|--------------------------------------------|------------------------------------------------------------------------------|-------------------------------------------|----------------------|
| Ethernet WAN *                             | ✓                                                                            | DHCP serveris *                           | ✓                    |
| DSL WAN *                                  | ✗                                                                            | Drošība                                   |                      |
| SIM kartes slots *                         | ✗                                                                            | Drošības algoritma atbalstīts *           | SNMP, SNMPv2, SNMPv3 |
| 3G/4G USB modema saderība *                | ✗                                                                            | VPN tuneļu daudzums                       | 50                   |
| SFP WAN *                                  | ✓                                                                            | Īpašības                                  |                      |
| Tīklošana                                  |                                                                              | Zibatmiņa                                 | 128 MB               |
| Tīkla standarts *                          | IEEE 802.3, IEEE 802.3ab, IEEE 802.3q, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z | Iekšējā atmiņa                            | 512 MB               |
| Ethernet interfeisa tips *                 | Tīkls Gigabit Ethernet                                                       | Iekšējās atmiņas tips                     | DDR4                 |
| Kabeļa likšanas tehnoloģija                | 10/100/1000Base-T(X)                                                         | Dizains                                   |                      |
| Ethernet LAN datu pārsūtīšanas ātrums      | 10,100,1000 Mbit/s                                                           | Produkta krāsa *                          | Mēlns                |
| Statiskais maršruts                        | ✓                                                                            | LED indikatori                            | ✓                    |
| Atbalsta VLAN                              | ✓                                                                            | Enerģijas pārvaldība                      |                      |
| Portu pāradresācija                        | ✓                                                                            | Izejas spriegums                          | 12 V                 |
| Vadības īpašības                           |                                                                              | Izejas strāva                             | 1 A                  |
| Tīkla bāzēts menedžments *                 | ✓                                                                            | Ārējās vides apstākļi                     |                      |
| Universal Plug and Play (UPnP)             | ✓                                                                            | Darbības temperatūras amplitūda (T-T)     | 0 - 40 °C            |
| Atiestates poga                            | ✓                                                                            | Uzglabāšanas temperatūras amplitūda (T-T) | -40 - 70 °C          |
| Savienojamība                              |                                                                              | Darbības relatīvā mitruma amplitūda       | 10 - 90%             |
| Ethernet LAN (RJ-45) pieslēgvietu skaits * | 5                                                                            | Uzglabāšanas relatīvā mitruma amplitūda   | 5 - 90%              |
| SFP moduļa slotu skaits                    | 1                                                                            | Svars&dimensijas                          |                      |
| USB pieslēgvietu skaits                    | 1                                                                            | Platums                                   | 226 mm               |
| USB versija                                | 3.2 Gen 1 (3.1 Gen 1)                                                        | Dziļums                                   | 131 mm               |
| DC ieejas ligzda                           | ✓                                                                            | Augstums                                  | 35 mm                |

**Protokli**


DHCP klients \* 



6935364072407



1210002611220



0840460604642



840460604642

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.