



Dahua Technology WizSense 5MP IR Vari-focal Bullet Network Camera



Brand : Dahua Technology

Product family: WizSense

Product code: IPC-HFW3541T-ZAS-27135-S2

Product name : 5MP IR Vari-focal Bullet WizSense Network Camera

1/2.7" CMOS, 2960 (H) × 1668 (V), 128 MB, 512 MB, >56 dB, Ø14, 2.7 mm-13.5 mm

[Dahua Technology WizSense 5MP IR Vari-focal Bullet Network Camera:](#)

5MP IR Vari-focal Bullet WizSense Network Camera

Dahua Technology WizSense 5MP IR Vari-focal Bullet Network Camera. Type: IP security camera, Placement supported: Outdoor, Connectivity technology: Wired. Mounting type: Ceiling/wall, Product colour: White, Form factor: Bullet. Angle of rotation: 360°, Lens viewing angle, horizontal: 99°, Lens viewing angle, vertical: 72°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.7 mm (1 / 2.7"). Focal length range: 2.7 - 13.5 mm, Closest focusing distance: 0.8 m

Performance		Video	
Type *	IP security camera	Noise reduction technology	3D noise reduction
Placement supported *	Outdoor	Gain control type	Auto/Manual
Connectivity technology *	Wired	Privacy masking	✓
Wide Dynamic Range (WDR)	✓	Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
Day/night mode	✓	Bit rate	3 kbps-8192 kbps
Certification	CE-LVD: EN62368-1 CE-EMC: 2014/30/EU FCC: 47 CFR FCC 15, B UL/CUL: UL60950-1 CAN/CSA C22.2 No.60950-1-07	Back Light Compensation (BLC)	✓
Design		Highlight Compensation (HLC)	✓
Form factor *	Bullet	Region of Interest (ROI) encoding	✓
Mounting type *	Ceiling/wall	Network	
Product colour *	White	Ethernet LAN *	✓
Housing material	Metal	Ethernet interface type	Fast Ethernet
International Protection (IP) code	IP67	Networking standards	IEEE 802.1x, IEEE 802.3af
Camera		Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; QoS; UPnP; NTP; Multicast; ICMP; IGMP; NFS; PPPoE; SNMP
Camera pan control	✓	Wi-Fi *	✗
Camera tilt control	✓	Bluetooth *	✗
Minimum illumination	0 lx	Number of users	20 user(s)
Angle of rotation	360°	Quality of Service (QoS) support	✓
Lens viewing angle, horizontal	99°	Streaming method	Multicast
Lens viewing angle, vertical	72°	Storage	
Lens viewing angle, diagonal	133°	Built-in HDD *	✗
Tilt angle range	0 - 90°	Card reader integrated	✓
Pan range	0 - 360°	Compatible memory cards	MicroSD (TransFlash)
White balance	Auto, Custom modes, Manual, Natural, Outdoor	Maximum memory card size	256 GB
Camera shutter type	Electronic	Internal memory	512 MB
Camera shutter speed	1/3 - 1/100000 s	ROM capacity	128 MB
Adjustment shutter speed	Auto/Manual	Ports & interfaces	
Image sensor		Ethernet LAN (RJ-45) ports	1
Number of sensors	1	Security	
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Video motion detection	✓
Progressive scan	✓	Intelligent Video Surveillance (IVS) system features	Intrusion, Tripwire
Sensor type *	CMOS		

Lens system		Security	
Number of lenses *	1	Mirror	✓
Focal length range	2.7 - 13.5 mm	Power	
Maximum aperture number	1.5	Power source type *	DC, PoE
Closest focusing distance	0.8 m	Power consumption (max)	9.8 W
Night vision		Operational conditions	
Night vision *	✓	Operating temperature (T-T)	-30 - 60 °C
Night vision distance	60 m	Storage temperature (T-T)	-40 - 60 °C
LED type	IR	Operating relative humidity (H-H)	0 - 95%
Number of illumination LEDs	4	Storage relative humidity (H-H)	0 - 95%
Video		Weight & dimensions	
Maximum resolution *	2592 x 1944 pixels	Width	79 mm
Total megapixels *	5 MP	Depth	75.9 mm
Video compression formats	H.264, H.264+, H.265, H.265+, M-JPEG	Length	244.1 mm
Supported graphics resolutions	352 x 240, 352 x 288, 640 x 480 (VGA), 704 x 480, 704 x 576, 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080), 2592 x 1944	Weight	820 g
Frame rate	30 fps	Packaging data	
Video streaming	✓	Package weight	1.09 kg
Noise reduction	✓	Packaging content	
		Number of cameras *	1



6923172542373

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.