

## Viewsonic VP Series VP2776T-4K computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black

**Brand :** Viewsonic

**Product family:** VP Series

**Product code:** VP2776T-4K


**Product name :** VP2776T-4K

- Thunderbolt™ 4: Enhances workflows with lightning-fast data transfer speeds and support for dual 4K display setups.
  - Precise Colors: Achieves Delta E <2 color fidelity with 98% DCI-P3 and 100% sRGB color space coverage.
  - Outstanding Clarity: Features stunning 4K UHD resolution, capturing every detail with clarity and depth.
  - Docking Station: Offers complete connectivity with dual Thunderbolt 4™, dual HDMI 2.1, USB-C, DP 1.4, and Ethernet ports.
  - Eye ProTech+: Minimizes eye strain with Flicker-Free technology and low blue light hardware solution
- 27" IPS 3840 x 2160 UHD, 400 cd/m², 10 bit (8 bit + FRC), 178°/178°



| Display                             |                               | Network                                   |              |
|-------------------------------------|-------------------------------|-------------------------------------------|--------------|
| Display diagonal *                  | 68.6 cm (27")                 | Ethernet LAN                              | ✓            |
| Display resolution *                | 3840 x 2160 pixels            | <b>Ergonomics</b>                         |              |
| HD type *                           | 4K Ultra HD                   | VESA mounting *                           | ✓            |
| Native aspect ratio *               | 16:9                          | Panel mounting interface                  | 100 x 100 mm |
| Display technology *                | LED                           | Wall mountable                            | ✓            |
| Panel type *                        | IPS                           | Cable management                          | ✓            |
| LED backlight                       | ✓                             | Cable lock slot *                         | ✓            |
| Touchscreen *                       | ✗                             | Cable lock slot type                      | Kensington   |
| Display brightness (typical)        | 400 cd/m²                     | Height adjustment *                       | ✓            |
| Response time *                     | 5 ms                          | Adjustable height (max)                   | 12 cm        |
| Anti-glare screen                   | ✓                             | Pivot                                     | ✓            |
| Screen shape *                      | Flat                          | Pivot angle                               | -90 - 90°    |
| Supported graphics resolutions      | 3840 x 2160                   | Swivelling                                | ✓            |
| Supported video modes               | 2160p                         | Swivel angle range                        | 0 - 120°     |
| Contrast ratio (typical) *          | 2000:1                        | Tilt adjustment                           | ✓            |
| Contrast ratio (dynamic)            | 20000000:1                    | Tilt angle range                          | -3 - 22°     |
| Maximum refresh rate *              | 60 Hz                         | Plug and Play                             | ✓            |
| Viewing angle, horizontal           | 178°                          | LED indicators                            | ✓            |
| Viewing angle, vertical             | 178°                          | <b>Power</b>                              |              |
| Display number of colours *         | 1.07 billion colours          | Energy efficiency class (SDR) *           | F            |
| Pixel pitch                         | 0.155 x 0.155 mm              | Energy efficiency class (HDR) *           | G            |
| Digital horizontal frequency        | 30 - 150 kHz                  | Energy consumption (SDR) per 1000 hours * | 23 kWh       |
| Digital vertical frequency          | 24 - 75 Hz                    | Energy consumption (HDR) per 1000 hours * | 31 kWh       |
| High Dynamic Range (HDR) supported  | ✓                             | Power consumption (typical) *             | 29 W         |
| High Dynamic Range (HDR) technology | High Dynamic Range (HDR) 400  | Power consumption (standby) *             | 0.5 W        |
| Surface hardness                    | 3H                            | Power consumption (max)                   | 32 W         |
| Colour depth                        | 10 bit                        |                                           |              |
| Colour gamut standard               | Adobe RGB, DCI-P3, NTSC, sRGB |                                           |              |
| sRGB coverage (typical)             | 100%                          |                                           |              |

| Display                                      |                       | Power                             |             |
|----------------------------------------------|-----------------------|-----------------------------------|-------------|
| NTSC coverage (typical)                      | 95%                   | AC input voltage                  | 100 - 240 V |
| Adobe RGB coverage                           | 89%                   | AC input frequency                | 50/60 Hz    |
| DCI-P3 coverage                              | 98%                   | Operational conditions            |             |
| Performance                                  |                       | Operating temperature (T-T)       | 0 - 40 °C   |
| Flicker-free technology                      | ✓                     | Operating relative humidity (H-H) | 20 - 90%    |
| Low Blue Light technology                    | ✓                     | Weight & dimensions               |             |
| Multimedia                                   |                       | Width (with stand)                | 613.7 mm    |
| Number of speakers                           | 2                     | Depth (with stand)                | 234 mm      |
| RMS rated power                              | 6 W                   | Height (with stand)               | 570.4 mm    |
| Built-in speaker(s) *                        | ✓                     | Weight (with stand)               | 7.6 kg      |
| Built-in camera *                            | ✗                     | Width (without stand)             | 613.7 mm    |
| Design                                       |                       | Depth (without stand)             | 55.8 mm     |
| Market positioning *                         | Office                | Height (without stand)            | 363.9 mm    |
| Product colour *                             | Black                 | Weight (without stand)            | 7.6 kg      |
| Ports & interfaces                           |                       | Packaging data                    |             |
| Built-in USB hub *                           | ✓                     | Package width                     | 720 mm      |
| USB hub version                              | 3.2 Gen 1 (3.1 Gen 1) | Package depth                     | 228 mm      |
| USB upstream port type                       | USB Type-C            | Package height                    | 515 mm      |
| Number of USB Type-C upstream ports quantity | 1                     | Package weight                    | 13.1 kg     |
| USB Type-A downstream ports quantity         | 3                     | Packaging content                 |             |
| HDMI *                                       | ✓                     | Stand included                    | ✓           |
| HDMI ports quantity                          | 2                     | Power adapter included            | ✓           |
| HDMI version                                 | 2.1                   | Manual                            | ✓           |
| DisplayPorts quantity                        | 1                     | Other features                    |             |
| DisplayPort version                          | 1.4                   | Weight                            | 7.6 kg      |
| Thunderbolt 4 ports quantity                 | 2                     | Logistics data                    |             |
| Headphone out *                              | ✓                     | Products per master (outer) case  | 1 pc(s)     |
| Headphone outputs                            | 1                     | Pallet gross width                | 120 cm      |
| Headphone connectivity                       | 3.5 mm                | Pallet gross length               | 100 cm      |
|                                              |                       | Pallet gross height               | 2.19 m      |
|                                              |                       | Harmonized System (HS) code       | 8528521000  |



0766907026061



766907026061

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.