

## Epson EcoTank ET-4950 Inkjet A4 4800 x 1200 DPI 35 ppm Wi-Fi

**Brand :** Epson

**Product family:** EcoTank

**Product code:** C11CL40402

**Product name :** ET-4950

Epson EcoTank ET-4950. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 23 ppm. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black



| Printing                                            |                            | Paper handling                  |                                                                  |
|-----------------------------------------------------|----------------------------|---------------------------------|------------------------------------------------------------------|
| Duplex printing mode                                | Auto                       | ISO B-series sizes (B0...B9)    | B5, B6                                                           |
| Print technology *                                  | Inkjet                     | Envelopes sizes                 | 10, C6, DL                                                       |
| Printing *                                          | Colour printing            | Photo paper sizes               | 10x15, 13x18 cm                                                  |
| Duplex printing *                                   | ✓                          | Borderless printing media sizes | 10x15, 13x18                                                     |
| Maximum resolution *                                | 4800 x 1200 DPI            | Ports & interfaces              |                                                                  |
| Print speed (black, normal quality, A4/US Letter) * | 35 ppm                     | Direct printing *               | ✓                                                                |
| Print speed (colour, normal quality, A4/US Letter)  | 23 ppm                     | USB port                        | ✓                                                                |
| Print speed (ISO/IEC 24734) black                   | 18 ppm                     | Network                         |                                                                  |
| Print speed (ISO/IEC 24734) colour                  | 9 ppm                      | Wi-Fi *                         | ✓                                                                |
| Time to first page (black, normal)                  | 8.5 s                      | Ethernet LAN *                  | ✓                                                                |
| Time to first page (colour, normal)                 | 13.5 s                     | Wi-Fi standards                 | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) |
| Print margin top (min)                              | 0 mm                       | Wi-Fi Direct                    | ✓                                                                |
| Print margin bottom (min)                           | 0 mm                       | Security algorithms             | 64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK, WPA3-SAE             |
| Print margin left (min)                             | 0 mm                       | Mobile printing technologies    | Apple AirPrint, Epson Connect, Epson Smart Panel                 |
| Print margin right (min)                            | 0 mm                       | Design                          |                                                                  |
| Print margins (top, bottom, right, left)            | 3 mm                       | Product colour *                | Black                                                            |
| Borderless printing                                 | ✓                          | Market positioning *            | Home & office                                                    |
| Scanning                                            |                            | Built-in display *              | ✓                                                                |
| Duplex scanning *                                   | ✓                          | Display                         | LCD                                                              |
| Scanning *                                          | Colour scanning            | Display diagonal                | 15.5 cm (6.1")                                                   |
| Optical scanning resolution *                       | 1200 x 2400 DPI            | Control type                    | Touch                                                            |
| Scanner type *                                      | Flatbed scanner            | Colour display                  | ✓                                                                |
| Scan technology                                     | CIS                        | Power                           |                                                                  |
| Image formats supported                             | BMP, JPEG, PICT, PNG, TIFF | Power consumption (copying)     | 15 W                                                             |
| Document formats supported                          | PDF                        | Power consumption (ready)       | 7.4 W                                                            |
| Fax                                                 |                            | Power consumption (standby)     | 0.7 W                                                            |
| Faxing *                                            | Colour faxing              |                                 |                                                                  |
| Fax transmission speed                              | 3 sec/page                 |                                 |                                                                  |

| Fax                               |                              | Power                               |                                          |
|-----------------------------------|------------------------------|-------------------------------------|------------------------------------------|
| Modem speed                       | 33.6 Kbit/s                  | Power consumption (sleep)           | 0.1 W                                    |
| Fax memory                        | 100 pages                    | Power consumption (off)             | 0.1 W                                    |
| Auto-redialing                    | ✓                            | AC input voltage                    | 100 - 240 V                              |
| Speed dialling                    | ✓                            | AC input frequency                  | 50/60 Hz                                 |
| Features                          |                              | System requirements                 |                                          |
| Duplex functions *                | Print                        | Server operating systems supported  | Windows Server 2019, Windows Server 2022 |
| Number of print cartridges *      | 4                            |                                     |                                          |
| Printing colours *                | Black, Cyan, Magenta, Yellow | Weight & dimensions                 |                                          |
| All-In-One-multitasking           | ✓                            | Width                               | 375 mm                                   |
| Input & output capacity           |                              | Depth                               | 347 mm                                   |
| Total number of input trays *     | 1                            | Height                              | 240 mm                                   |
| Total input capacity *            | 250 sheets                   | Weight                              | 7.3 kg                                   |
| Total output capacity *           | 30 sheets                    | Packaging data                      |                                          |
| Paper handling                    |                              | Package width                       | 514 mm                                   |
| Maximum ISO A-series paper size * | A4                           | Package depth                       | 420 mm                                   |
| Paper tray media types *          | Plain paper                  | Package height                      | 320 mm                                   |
| ISO A-series sizes (A0...A9) *    | A4, A5, A6                   | Package weight                      | 10.9 kg                                  |
|                                   |                              | Packaging content                   |                                          |
|                                   |                              | Cartridge(s) included               | ✓                                        |
|                                   |                              | Included cartridge capacity (black) | 15100 pages                              |
|                                   |                              | Included cartridge capacity (CMY)   | 5500 pages                               |
|                                   |                              | Cables included                     | AC                                       |
|                                   |                              | Other features                      |                                          |
|                                   |                              | Number of users                     | 4 user(s)                                |
|                                   |                              | Supported media weight(s)           | 64 - 300 g/m²                            |



8715946732534

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.