



## TP-Link LiteWave LS1210GP tīkla pārslēgs Nepārvaldīts Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Mels

**Zīmols :** TP-Link

**Preču ģimene:** LiteWave

**Preces kods:** LS1210GP

**Modeļa nosaukums :**  
LS1210GP



TP-Link LiteWave LS1210GP. Slēdža tips: Nepārvaldīts. Basic switching RJ-45 Ethernet portu veids: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet portu daudzums: 9. Adrešu tabulas izmērs: 4000 ieraksti, Komutācijas ietilpība: 20 Gbit/s. Tīkla standarts: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE.... DC ievades spriegums: 53.5 V. Power over Ethernet (PoE)



| Vadības īpašības                                |                                                                                                           | Energijas pārvaldība                            |              |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------|--------------|
| Slēdža tips *                                   | Nepārvaldīts                                                                                              | Mainstrāvas ievades frekvence                   | 50 Hz        |
| Quality of Service (QoS) atbalsts               | ✓                                                                                                         | DC ievades spriegums                            | 53.5 V       |
| Savienojamība                                   |                                                                                                           | Strāvas patēriņš (maks)                         | 76,96 W      |
| Basic switching RJ-45 Ethernet portu daudzums * | 9                                                                                                         | Power over Ethernet (PoE)                       |              |
| Basic switching RJ-45 Ethernet portu veids *    | Gigabit Ethernet (10/100/1000)                                                                            | Power over Ethernet (PoE) *                     | ✓            |
| SFP moduļa slotu skaits                         | 1                                                                                                         | Power over Ethernet (PoE) pieslēgvietu skaits   | 8            |
| Tīklošana                                       |                                                                                                           | Power over Ethernet (PoE) jauda uz pieslēgvietu | 30 W         |
| Tīkla standarts *                               | IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z | Kopējais Power over Ethernet (PoE) budžets      | 61 W         |
| 10G atbalsta *                                  | ✗                                                                                                         | Ārējās vides apstākļi                           |              |
| Kabeļu tipi, kas ir atbalstīti                  | Cat3, Cat4, Cat5, Cat5e                                                                                   | Darbības temperatūras amplitūda (T-T)           | 0 - 40 °C    |
| Plūsmas kontroles atbalsts                      | ✓                                                                                                         | Uzglabāšanas temperatūras amplitūda (T-T)       | -40 - 70 °C  |
| Auto MDI/MDI-X                                  | ✓                                                                                                         | Darbības relatīvā mitruma amplitūda             | 10 - 90%     |
| Automātiska vienošanās                          | ✓                                                                                                         | Uzglabāšanas relatīvā mitruma amplitūda         | 5 - 90%      |
| Datu pārraide                                   |                                                                                                           | Karstuma izkliedēšana                           | 261,66 BTU/h |
| Komutācijas ietilpība *                         | 20 Gbit/s                                                                                                 | Svars & dimensijas                              |              |
| Pakešu apstrādes jauda                          | 14,88 miljons pakešu sekundē                                                                              | Platums                                         | 209 mm       |
| Adrešu tabulas izmērs *                         | 4000 ieraksti                                                                                             | Dziļums                                         | 126 mm       |
| Uzglabāt un pārsūtīt                            | ✓                                                                                                         | Augstums                                        | 26 mm        |
| Jumbo rāmji                                     | 16000                                                                                                     | Iepakojuma saturs                               |              |
| Dizains                                         |                                                                                                           | Lietotāja pamācība                              | ✓            |
| Produkta krāsa                                  | Melns                                                                                                     |                                                 |              |
| LED indikatori                                  | ✓                                                                                                         |                                                 |              |

| Enerģijas pārvaldība          |        | Informācija par iepakojumu |               |
|-------------------------------|--------|----------------------------|---------------|
| Jaudas avots *                | DC/PoE | Iepakojuma tips            | Kaste         |
| Strāvas barošana iekļauta *   | ✓      | Sertifikāti                |               |
| Maiņstrāvas ievades spriegums | 220 V  | Sertifikācija              | CE, FCC, RoHS |



4895252504576



4895252504569

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.