



TP-Link TL-SG1024DE tīkla pārslēgs Vadīts L2 Gigabit Ethernet (10/100/1000) Melns

Zīmols : TP-Link

Preces kods: TL-SG1024DE


Modeļa nosaukums : TL-SG1024DE

TP-Link TL-SG1024DE. Slēdža tips: Vadīts, Slēdža līmenis: L2. Basic switching RJ-45 Ethernet portu veids: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet portu daudzums: 24. Pilns duplexss. Adrešu tabulas izmērs: 8000 ieraksti, Komutācijas ietilpība: 48 Gbit/s. Tīkla standarts: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Statņa montāža



Vadības īpašības		Dizains	
Slēdža tips *	Vadīts	Statņa montāža *	✓
Slēdža līmenis	L2	Produkta krāsa	Melns
Quality of Service (QoS) atbalsts	✓	LED indikatoru	✓
Savienojamība		Energijas pārvaldība	
Basic switching RJ-45 Ethernet portu daudzums *	24	Strāvas barošana iekļauta *	✓
Basic switching RJ-45 Ethernet portu veids *	Gigabit Ethernet (10/100/1000)	Maiņstrāvas ievades spriegums	100 - 240 V
Tīklošana	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Maiņstrāvas ievades frekvence	50 - 60 Hz
		Enerģija patēriņš	14,19 W
Tīkla standarts *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Ārējās vides apstākļi	
10G atbalsta *	✗	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Vara Ethernet kabeļu tehnoloģija	10BASE-T, 100BASE-TX, 1000BASE-T	Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
Pieslēgvietas atspoguļošana	✓	Darbības relatīvā mitruma amplitūda	10 - 90%
Pilns duplexss	✓	Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%
Plūsmas kontroles atbalsts	✓	Karstuma izkļedēšana	48,39 BTU/h
Linka sakopšana	✓	Svars & dimensijas	
Apraides vētras kontrole	✓	Platums	294 mm
Ātruma limitēšana	✓	Dziļums	180 mm
Auto MDI/MDI-X	✓	Augstums	44 mm
VLAN skaits	32	Iepakojuma saturs	
Datu pārraide		Pievienoti kabeli	AC
Komutācijas ietilpība *	48 Gbit/s	Lietotāja pamācība	✓
Caurlaide	35,7 miljons pakešu sekundē	Statīva montēšanas piederumi	✓
Adrešu tabulas izmērs *	8000 ieraksti	Informācija par iepakojumu	
Uzglabāt un pārsūtīt	✓	Iepakojuma tips	Kaste
Rindu skaits	4	Sertifikāti	
Jumbo Frames atbalsts	✓	Sertifikācija	FCC, CE, RoHS
Jumbo rāmji	10000		
Pakešu buferatmiņa	4,1 MB		

Drošība		Logistiskie dati	
IGMP iejaukšanās	✓	Harmonizētās sistēmas (HS) kods	85176990



1210002616812



0840460604017



840460604017

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.