



TP-Link Omada EAP670 беспроводная точка доступа 5400 Мбит/с
Белый Питание по Ethernet (PoE)

Производитель : TP-Link

Семейство продуктов:
Omada

Код товара: EAP670

Модель : EAP670

TP-Link Omada EAP670. 2,4 ГГц, 5 ГГц, Максимальная скорость передачи данных: 5400 Мбит/с, Скорость передачи данных Ethernet LAN: 2500 Мбит/с. Питание по Ethernet (PoE). Цвет товара: Белый



Свойства		Безопасность	
2,4 ГГц *	✓	Список контроля доступа (ACL)	✓
5 ГГц *	✓	Характеристики управления	
6 ГГц *	✗	Управление через веб-интерфейс	✓
Максимальная скорость передачи данных *	5400 Мбит/с	Обновляемое встроенное ПО	✓
Максимальная скорость передачи данных (2,4 ГГц)	574 Мбит/с	Энергопитание	
Максимальная скорость передачи данных (5 ГГц)	4804 Мбит/с	Питание по Ethernet (PoE) *	✓
Скорость передачи данных Ethernet LAN	2500 Мбит/с	Ток на входе	1.5 A
Полоса частот	2.4 - 5 GHz	Дизайн	
Стандарты сети	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Размещение *	Потолок, Стена
Число пользователей	250 пользов.	Цвет товара *	Белый
Автоматический выбор канала	✓	International Protection (IP) код	IP67
Автоматическое сканирование канала	✓	Кнопка сброса установок	✓
MIMO	✓	Светодиодные индикаторы	✓
Тип MIMO	Multi User MIMO	Антенна	
Поддержка VLAN	✗	Тип антенны *	Внутренний
Ограничение скорости	✓	Тип направленности антенны	Всенаправленный
Изоляция беспроводных клиентов	✓	Количество антенн	6
Управление полосой пропускания	✓	Коэффициент усиления антенны (макс)	5 dBi
Поддержка Quality of Service (QoS)	✓	Сертификаты	
BeamForming	✓	Сертификация	CE, FCC, RoHS
		Вес и размеры	
		Ширина	243 mm
		Глубина	243 mm
		Высота	64 mm

Свойства		Данные об упаковке	
Передаваемая мощность (CE)	<20 dBm(2.4 GHz, EIRP); <23 dBm(5 GHz, band1 & band2, EIRP); <30 dBm(5 GHz, band3, EIRP)	Ширина упаковки	302 mm
Передаваемая мощность (FCC)	<25 dBm (2.4 GHz); <28 dBm (5 GHz)	Глубина упаковки	304 mm
		Высота упаковки	82 mm
		Масса брутто	1,32 kg
Безопасность		Содержимое упаковки	
Характеристики идентификатора SSID	Multiple SSIDs	Количество в упаковке	1 шт
Количество поддерживаемых SSID	16	Логистические данные	
Служба удаленного подключения по телефонной линии (RADIUS)	✓	Код гармонизированной системы описания (HS)	85176990



4897098687154




4897098681510



0840030707155



840030707155



4895252506181



0840030711671



840030711671

Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.