

TP-Link Tapo L920-5 Интеллектуальный линейный светильник Wi-Fi

Производитель : TP-Link

Семейство продуктов: Tapo

Код товара: TAP0 L920-5

Модель : Tapo L920-5

TP-Link Tapo L920-5. Тип: Интеллектуальный линейный светильник, Интерфейс: Wi-Fi, Цвет товара: Белый. Класс энергоэффективности: G, Тип источника питания: Кабель переменного тока, Потребляемая мощность (в обычном режиме): 20,5 W. Ширина: 40 mm, Глубина: 19,9 mm, Высота: 78 mm. Ширина упаковки: 70 mm, Глубина упаковки: 180 mm, Высота упаковки: 201 mm. Количество в упаковке: 1 шт



Свойства		Вес и размеры	
Wi-Fi стандартов	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Ширина	40 mm
Тип *	Интеллектуальный линейный светильник	Глубина	19,9 mm
Тип лампы	LED	Высота	78 mm
Интерфейс *	Wi-Fi	Длина	5000 mm
Цвет товара *	Белый	Вес	180 g
Изменение цвета	✓	Данные об упаковке	
Цвет света	Мульти	Ширина упаковки	70 mm
Срок службы лампы	25000 h	Глубина упаковки	180 mm
Номинальный срок службы	25000 h	Высота упаковки	201 mm
Подходит для типов освещения	Для обстановки, Ориентационное	Масса брутто	570 g
Подходит для использования внутри помещений	✓	Содержимое упаковки	
Подходит для наружного использования	✗	Количество в упаковке *	1 шт
Возможность затемнения	✓	Сетевой адаптер в комплекте	✓
Диапазон регулировки освещения	1 - 100%	Устойчивость	
Тип крепления	Клейкая лента	Соответствие требованиям экологически безопасного развития	✓
Производительность		Прочие свойства	
Поддержка управления со смартфона	✓	Диапазон относительной влажности при эксплуатации	10 - 90%
Энергопитание		Диапазон температур при эксплуатации	-15 - 40 °C
Класс энергоэффективности	G	Поддерживаемое размещение	Для помещений
Тип источника питания	Кабель переменного тока	Резать по заданному размеру	✓
Потребляемая мощность (в обычном режиме)	20,5 W	Wi-Fi	✓
Потребляемая мощность (в режим ожидания)	0,4 W	Технические характеристики	
Входное напряжение	220 - 240 V	Яркость	500 lm


Энергопитание		Технические характеристики	
Частота входящего переменного тока	50 - 60 Hz	Compliance certificates	CE, RoHS
Входящее напряжение сети	220 - 240 V	Встроенные светодиоды	✓
		Логистические данные	
		Страна производства	Китай
		Код TARIC	9405423990



4897098682616



4897098682609



0840030705151



840030705151

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.