

TP-Link TL-WA801N 300 Mbit/s Balts Power over Ethernet (PoE)

Zīmols : TP-Link

Preces kods: TL-WA801N V1

Modeļa nosaukums : TL-WA801N

TP-Link TL-WA801N. 2.4 GHz, Maksimālais datu pārraides ātrums: 300 Mbit/s. Drošības algoritma atbalsts: WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Ethernet LAN datu pārsūtīšanas ātrums: 10,100 Mbit/s. Power over Ethernet (PoE). Produkta krāsa: Balts



Īpašības		Dizains	
2.4 GHz *	✓	Izvietošana *	Galds
5 GHz *	✗	Produkta krāsa *	Balts
6 GHz *	✗	Atiestates poga	✓
Maksimālais datu pārraides ātrums *	300 Mbit/s	WPS poga	✓
Maksimālais datu pārraides ātrums (2,4 GHz)		Antena	
Ethernet LAN datu pārsūtīšanas ātrums	10,100 Mbit/s	Antenas tips *	Ārējs
Frekvences josla	2.4-2.4835 GHz	Antenas virziena veids	Omni-directional
Tīkla standarts	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u	Antenu daudzums	2
Automātiska kanāla atlase	✓	Sertifikāti	
Automātiskā kanālu skenēšana	✓	Sertifikācija	CE, FCC, RoHS
Wi-Fi multimediji (WMM)/(WME)	✓	Svars&dimensijas	
Atbalsta VLAN	✓	Platums	181,6 mm
Quality of Service (QoS) atbalsts	✓	Dziļums	129,7 mm
Raidīšanas jauda (CE)	15 dBm	Augstums	34,7 mm
Raidīšanas jauda (FCC)	20 dBm	Informācija par iepakojumu	
Uztvērēja jutīgums	11g 6Mbps: -90dBm 11g 54Mbps: -77dBm 11n HT20 MC7: -73dBm 11n HT40 MC7: -70dBm	Iepakojuma platums	310 mm
Drošība		Iepakojuma dziļums	223 mm
Drošības algoritma atbalsts *	WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Iepakojuma augstums	70 mm
Vadības īpašības		Iepakojuma svars	560 g
Programmaparatūra atjauninājama	✓	Iepakojuma tips	Kaste
		Iepakojuma saturs	
		Skaits iepakojumā	1 pcs
		AC adapteris komplektā	✓
		PoE adapteris ir komplektā	✓
		Pievienoti kabeli	LAN (RJ-45)
		Ātrās startēšanas gids	✓

Savienojamība		Ārējās vides apstākļi	
Ethernet LAN (RJ-45) pieslēgvietu skaits *	1	Darbības relatīvā mitruma amplitūda	10 - 90%
WAN pieslēgvietā	Ethernet (RJ-45)	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
DC ieejas ligzda	✓	Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
Energijas pārvaldība		Logistiskie dati	
Power over Ethernet (PoE) *	✓	Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%
Atbalsta Power over Ethernet (PoE)	Passive PoE	Harmonizētās sistēmas (HS) kods	85176990
Izejas spriegums	9 V		
Izejas strāva	0,6 A		



6935364052478

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.