

Whirlpool TDLRB 65242BS EU/N veļasmašīna Ielādēšana no augšas 6,5 kg 1151 RPM Balts

Zīmols : Whirlpool

Preces kods: TDLRB 65242BS EU/N

Modeļa nosaukums : TDLRB 65242BS EU/N

Whirlpool TDLRB 65242BS EU/N. Iekraušanas tips: Ielādēšana no augšas. Tvertnes tilpums: 6,5 kg, Žāvēšanas kategorija: B, Trokšņa līmenis (pie griešanās): 74 dB, Maksimālais centrifūgas ātrums: 1151 RPM. Produkta krāsa: Balts. Platums: 400 mm, Dziļums: 600 mm, Augstums: 900 mm. Energoefektivitātes klase: C



Dizains		Ergonomika	
Ierīces novietojums *	Brīvi novietots	Atslēga bērniem *	✓
Iekraušanas tips *	Ielādēšana no augšas	Filtra tīrīšanas indikators	✓
Produkta krāsa *	Balts	Atlikušais laiks norādi *	✓
Iebūvēta displeja *	✓	Enerģijas pārvaldība	
Kontroles tips *	Pogas, Rotējošs	Energoefektivitātes skala	A līdz G
Durvju enges *	Augšup	Energoefektivitātes klase *	C
Durvju atvēršanas veids	Atvēršana no augšas	Enerģijas patēriņš 100 ciklos *	57 kWh
Durvju krāsa	Balts	Enerģijas patēriņš mazgājot	0,574 kWh
Reversīvas durvis	✗	Ūdens patēriņš cikla laikā *	44 L
Trumuļa materiāls	Nerūsējošs tērauds	Jaudas patēriņš (standby)	0,11 W
Vannas materiāls	Plastmasa	Jaudas patēriņš (off)	0,11 W
Žāvētāja tilpnes tilpums	42 L	Mainstrāvas ievades spriegums	220 - 230 V
Darbības rādītāji		Mainstrāvas ievades frekvence	50 Hz
Tvertnes tilpums *	6,5 kg	Strāva	10 A
Maksimālais centrifūgas ātrums *	1151 RPM	Energoefektivitātes indekss (EEI)	68,6
Žāvēšanas kategorija *	B	Mazgāšanas efektivitātes indekss (ES Regula 2017/1369)	1,04
Mazgāšanas programmu skaits *	14	Svars&dimensijas	
Trokšņu emisijas klase *	B	Platums *	400 mm
Trokšņa līmenis (pie griešanās) *	74 dB	Dziļums *	600 mm
Atliktā starta taimeris *	✓	Augstums *	900 mm
Cikla ilgumu (maks.)	200 min	Svars	56 kg
Mazgāšanas programmas *	Kokvilna, Eco, Intensīvā/āra, Džinss/džinsa auduma, Mix, Priekšmazgāšana, Ātrs, Skalošana un izgriešana, Sintētiskai, "Wave wash" tehnoloģija	Informācija par iepakojumu	
	4,5 g/kg	Iepakojuma platums	450 mm
Skalošanas efektivitāte	✓	Iepakojuma dziļums	700 mm
Aizsardzība no pārplūdes *	✓	Iepakojuma augstums	940 mm
Putu kontroles sistēma *	✓	Iepakojuma svars	57 kg
Atlikušais mitrums	53%		

Darbības rādītāji

Regulējama temperatūra ✓



8003437046650

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.