

Epson TM-m30III (112): Standard Model, Black, EU

Brand : Epson

Product code: C31CK50112

Product name : Epson TM-m30III (112): Standard Model, Black, EU

- Stylish, all-new design: Ultra-compact, sleek, reliable and affordable
 - Improved mobile connectivity: Includes a USB Type-C PD tablet connection with 18W capability
 - Designed for efficiency: Features a paper near-end detector and superior decurling mechanism
 - Built for tough environments: IPX2 protection against liquids, plus antibacterial surface treatment
 - Wider platform support: Now supports Windows and Android, as well as iOS
- TM-m30III standard model



Printing		Operational conditions	
Colour	✗	Operating relative humidity (H-H)	10 - 90%
Maximum resolution	203 x 203 DPI	Storage relative humidity (H-H)	10 - 90%
Print speed	300 mm/sec	System requirements	
Print speed (receipt)	300 mm/sec	Windows operating systems supported	✓
Printing characters	Graphic, Barcode, 2D barcode, Text	Mac compatibility	✓
Print technology *	Thermal	Mobile operating systems supported	Android, iOS
Type *	POS printer	Pre-installed software	Server Direct Print
Paper handling		Weight & dimensions	
Supported paper width	58 - 80 mm	Width	127 mm
Roll dimensions	Roll 57mm, Roll 80mm	Depth	127 mm
Ports & interfaces		Height	130 mm
USB port *	✓	Weight	1.3 kg
Connectivity technology *	Wired	Packaging data	
Near Field Communication (NFC)	✓	Quantity per pack	1 pc(s)
Interface	USB 2.0-A, USB Type-C, Ethernet interface (100 Base-TX / 10 Base-T), Micro SD Card Slot, USB 2.0 Type B (Service Only), Wireless LAN IEEE 802.11a/b/g/n/ac (optional), Drawer kick-out, Wi-Fi Direct (optional), Near Field Communication (NFC)	Package width	210 mm
		Package depth	240 mm
		Package height	210 mm
		Package weight	2.31 kg
		Logistics data	
Network		Products per pallet	112 pc(s)
Ethernet LAN *	✓	Products per pallet layer	14 pc(s)
Wi-Fi *	✗	Products per pallet (UK)	160 pc(s)
Features		Products per pallet layer (UK)	20 pc(s)
Built-in barcodes *	Code 128 (A/B/C), CODABAR (NW-7), UPC-E, UPC-A, GS1 DataBar, EAN8, GS1-128, EAN13, Code 39, Data Matrix, Code 93, ITF, MaxiCode, PDF417	Technical details	
		Font styles	ANK, Traditional Chinese, Simplified Chinese
Sound pressure level (printing)	53 dB	Box contents	AC adapter, AC cable, Main unit, Paper roll spacer, Quick Start Guide, Roll paper, Setup guide
Mean time between failures (MTBF)	360000 h		
Cutter	✓		
Autocutter durability	2.2 million cuts		

Features		Technical details	
Paper save function	✓	Paper size roll paper	79.50 ± 0.50 (W) mm x dia 83.00 mm,
Tablet charge & sync	✓		57.50 ± 0.50 (W) mm x dia 83.00 mm
Print head life	150 km	Print speed	Max. 300 mm/sec at 203 x 203 DPI (printing width80 mm)
Country of origin	Philippines		
Mounting position	Horizontal/Vertical	Technology	Thermal Line
Wall mountable	✓	Voltage	24 V
Built-in sensors details	Roll paper cover open sensor, Paper End Sensor, Paper Near End Sensor, Paper Jam Sensor, Receipt near-end sensor, Receipt paper sensor	Compliance certificates	CE
		Power consumption	Mean:0.1 A, Mean Receipt unit: approx.1.8 A
Design		Other features	
Product colour *	Black	Buffer size	4 KB
Power		Mean cycles between failures (MCBF)	65000000
AC input voltage	100 - 230 V	Print head life (receipt unit)	150 km
AC input frequency	50 - 60 Hz		
Operational conditions			
Operating temperature (T-T)	5 - 45 °C		
Storage temperature (T-T)	-20 - 60 °C		



8715946703947

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.