

Epson WorkForce DS-70

Brand : Epson


Product family: WorkForce

Product code: B11B252402

Product name : WorkForce DS-70

- Small, lightweight design: Scan from anywhere with Epson's mobile scanner range
- USB connectivity: To re-charge, simply plug the scanner into a laptop or PC wherever you are
- Fast scanning speeds at 5.5 seconds per page: Efficiently scan documents, business cards and more from 35gsm to 270gsm, and long paper up to 1.8 metres
- Continuous scanning with automatic feed mode: Simplify your workload and speed up your scanning process
- Get scanning quickly and easily: With Epson software included you can save and send files in common formats like PDF, JPG, TIFF and many more

WorkForce DS-70



Scanning		Packaging content	
Maximum scan size *	216 x 356 mm	Cables included	USB
Optical scanning resolution *	600 x 600 DPI	Bundled software	Document Capture Pro, Epson Scan 2
Colour scanning	✓	System requirements	
Duplex scanning *	✗		
Input colour depth	48 bit	Compatible operating systems	Mac OS 10.6+, Windows 10, Windows 10 (32/64 bit), Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP
Output colour depth	24 bit		
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
Output monochrome depth	8 bit	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Scan speed (b/w, low res, A4)	5.5 sec/page		
Scan speed (colour, low res, A4)	5.5 sec/page	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Design			
Scanner type *	Handheld scanner		
Product colour *	White	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012 R2, Windows Server 2016
Built-in display *	✗		
Performance			
Sensor type *	CIS	Operational conditions	
Light source	ReadyScan LED		
Scan file formats	BMP, JPEG, PDF, PNG, TIFF		
Daily duty cycle (max) *	300 pages		
Scan drivers	TWAIN, SANE, WIA, ICA, ISIS		
Input capacity			
Standard input capacity	1 sheets	Operating temperature (T-T)	5 - 35 °C
Auto document feeder (ADF) input capacity	1 sheets	Storage temperature (T-T)	-25 - 60 °C
		Operating relative humidity (H-H)	10 - 85%
		Storage relative humidity (H-H)	10 - 90%

Paper handling		Other features	
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)	Output resolutions	600 DPI
Maximum ISO A-series paper size *	A4	Image formats supported	BMP, JPEG, TIFF, MTIFF, PNG
Paper tray media weight	35 - 270 g/m²	Linear scan speed (metric)	Monochrome:5.5 s/page - Color:5.5 s/page measured with Size: A4 , Resolution: 200 / 300 dpi
Auto Document Feeder (ADF) media weight	35 - 270 g/m²		One keypress, RGB colour dropout, Skip blank page, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/W colour original detection, RGB colour enhance, Auto-rotation, Text enhancement, Edge fill, Advanced cropping feature for Auto size, Descreening
Ports & interfaces		Printer features	One keypress, RGB colour dropout, Skip blank page, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/W colour original detection, RGB colour enhance, Auto-rotation, Text enhancement, Edge fill, Advanced cropping feature for Auto size, Descreening
USB port *	✔		
USB version	2.0		
Standard interfaces	USB 2.0	Scanner features	One keypress, RGB colour dropout, Skip blank page, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/W colour original detection, RGB colour enhance, Auto-rotation, Text enhancement, Edge fill, Advanced cropping feature for Auto size, Descreening
Power			
Power supply type *	USB		
Weight & dimensions			
Width	272 mm	Box contents	USB cable
Depth	47 mm		
Height	34 mm		
Weight	270 g		
Packaging data		Interface	Hi-Speed USB - compatible with USB 2.0 specification
Quantity per pack	1 pc(s)		
Package width	140 mm	Logistics data	
Package depth	330 mm		
Package height	65 mm		
Package weight	553 g		



8715946662831

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.