

Chieftec Core BBS-500S barošanas avotu vienība 500 W 24-pin ATX PS/2 Melns

Zīmols : Chieftec

Preču ģimene: Core

Preces kods: BBS-500S

Modeļa nosaukums :
BBS-500S

Chieftec Core BBS-500S. Kopējā jauda: 500 W, Maiņstrāvas ievades spriegums: 100 - 240 V, Maiņstrāvas ievades frekvence: 47 - 63 Hz. Mātesplates strāvas konektors: 24-pin ATX, SATA strāvas kabeļa garums: 150,500 mm, Perifērālā (Molex) strāvas kabeļa garums: 150,500 mm. Mērķis, rezultāts: PC (dators), Strāvas padeves bloka (PSU) formas faktors: PS/2, 80 PLUS sertifikācija: 80 PLUS Gold. Produkta krāsa: Melns, Dzesēšanas tips: Aktīvs, Ventilatora diametrs: 12 cm. Platums: 140 mm, Dziļums: 150 mm, Augstums: 86 mm



Energijas pārvaldība		Savienojamība	
Kopējā jauda *	500 W	PCI Express strāvas konektors (6+2 tapu)	1
Maiņstrāvas ievades spriegums *	100 - 240 V	PCI Express strāvas kabeļa garums	50 cm
Maiņstrāvas ievades frekvence	47 - 63 Hz	CPU barošanas savienotājs (4 + 4 pin)	✓
Ieejas strāva	8 A	CPU strāvas kabeļa garums	65 cm
Strāvas faktora korekcija (PFC) veids	Aktīvs	Diskešu diskdziņā strāvas konektors	1
Kopējā strāva (-12V)	3,6 W	Disketes diskierīces savienotājs	✓
Kopējā strāva (+5Vsb)	12,5 W	Kabeļu tips	Nemodulārs
Maksimālā izvades strāva (+3.3V)	18 A	Darbības rādītāji	
Maksimālā izvades strāva (+12V1)	41 A	80 PLUS sertifikācija *	80 PLUS Gold
Maksimālā izvades strāva (+5V)	18 A	Mērķis, rezultāts *	PC (dators)
Maksimālā izvades strāva (-12V)	0,3 A	Strāvas padeves bloka (PSU) formas faktors *	PS/2
Maksimālā izvades strāva (+5Vsb)	2,5 A	ATX versija	2.3
Jaudas aizsardzības apraksts	Pārspriegums, Pārslodze, Īssavienojums	Dizains	
Savienojamība		Produkta krāsa	Melns
Mātesplates strāvas konektors *	24-pin ATX	Dzesēšanas tips	Aktīvs
SATA strāvas savienotāju skaits	4	Ventilatora diametrs	12 cm
SATA strāvas kabeļa garums	150,500 mm	Ventilatoru skaits	1 ventilators/ ventilatori
Perifērās (Molex) strāvas savienotāji (4-pin) *	3	Svars&dimensijas	
Perifērālā (Molex) strāvas kabeļa garums	150,500 mm	Platums	140 mm
		Dziļums	150 mm
		Augstums	86 mm
		Svars	1,65 kg
		Informācija par iepakojumu	
		Iepakojuma svars	2,06 kg

Logistiskie dati

Harmonizētās sistēmas (HS) kods 84733020



0753263076120



753263076120

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.