

Techly IDATA EXT-E71 AB удлинитель AB передатчик и приемник Черный

Производитель : Techly

Код товара: IDATA EXT-E71

Модель : IDATA EXT-E71

Techly IDATA EXT-E71. Тип: AB передатчик и приемник, Максимальное разрешение: 1920 x 1080 пикселей, Поддерживаемые типы кабеля: Cat5, Cat5e, Cat6. Технология подключения: Проводная. Рабочее напряжение: 5 V, Ток на выходе: 1 A, Потребляемая мощность (передатчик) (макс): 2 W. Ширина: 69,6 mm, Глубина: 58,8 mm, Высота: 16,1 mm



Свойства		Энергопитание	
Тип *	AB передатчик и приемник	Ток на выходе	1 A
Максимальное разрешение *	1920 x 1080 пикселей	Потребляемая мощность (передатчик) (макс)	2 W
Поддерживаемые типы кабеля	Cat5, Cat5e, Cat6	Потребляемая мощность (приемник) (макс)	2 W
Максимальное расстояние передачи	120 m	Условия эксплуатации	
Максимальная частота обновления	60 Hz	Диапазон температур при эксплуатации	0 - 60 °C
Аудиосистема	Сtereo	Диапазон температур при хранении	-10 - 70 °C
Переход на инфракрасное излучение	✓	Диапазон относительной влажности при эксплуатации	0 - 90%
Светодиодные индикаторы	✓	Вес и размеры	
Поддерживаемые разрешения	640 x 480 (VGA), 720 x 480, 720 x 576, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Ширина	69,6 mm
HDCP	✓	Глубина	58,8 mm
Материал	Алюминий	Высота	16,1 mm
Вход для Дифференциальной Передачи Сигналов с Минимизацией Перепадов Уровней	1,5 V	Вес	413 g
Версия HDCP	1.4	Размеры приемника (Ш x Г x В)	69,57 x 58,8 x 16,1 mm
Цвет товара	Черный	Вес приемника	70 g
Сертификация	CE, RoHS	Размеры передатчика (ШxГxВ)	69,57 x 58,8 x 16,1 mm
Порты и интерфейсы		Вес передатчика	70 g
Технология подключения *	Проводная	Содержимое упаковки	
Подключение Ethernet	✓	Сетевой адаптер в комплекте	✓
Количество входов RJ-45	1	Инструкция	✓
Количество выходов RJ-45	1	ИК бластер в комплекте	✓
		ИК-приемник в комплекте	✓
		Технические характеристики	
		Поддержка аудио	✓

Порты и интерфейсы		Технические характеристики	
Вход HDMI	1	Compliance certificates	CE, RoHS
Количество HDMI выходов	1	Характеристики поставщика	
Версия HDMI	1.3	Код поставщика	104301
ИК вход пульта ДУ	1		
Гнездо входа постоянного тока (DC)	✓		
Энергопитание			
Рабочее напряжение	5 V		



8051128104301

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.